

CA Event Lookup Report

Report run on: January 28, 2009 9:39 AM

Version: 4.0

User Selection Criteria

Owner: HQ
Event Code:
Description:
Usage: All
Active Status: Either

Results

Data meeting the criteria you selected follows.

Total Pages: 4

Report Description

This report allows a user to see values in the LU_CA_EVENT lookup table.

Report Information

Name:	lu_ca_event.rdf
Developed by:	EPA Headquarters, Office of Solid Waste
Deployed:	November 2002
Last Revised:	December 2008
Contact:	rcrainfo.help@epa.gov
Tables Used:	lu_ca_event
Libraries:	none

CA Event Lookup Report

Report run on: January 28, 2009 9:39 AM

Owner	Event Type	Event Description	Active Status	Usage
HQ	CA010	RFA INITIATION	Y	3
	CA050	RFA COMPLETED	Y	1
	CA050PA	RFA COMPLETED-ASSESSMENT WAS A PA-PLUS Notes: DEBBIE: TO BE DELETED PER PAA	N	3
	CA050RF	RFA COMPLETED-ASSESSMENT WAS A RFA Notes: DEBBIE: TO BE DELETED PER PAA	N	3
	CA060	NOTICE OF CONTAMINATION	Y	3
	CA070	DETERMINATION OF NEED FOR AN INVESTIGATION Notes: DEBBIE: CHANGED DESC	N	3
	CA070NO	DETERMINATION OF NEED FOR AN INVESTIGATION-INVESTIGATION IS NOT NECESSARY Notes: DEBBIE: CHANGED DESC	Y	3
	CA070YE	DETERMINATION OF NEED FOR AN INVESTIGATION-INVESTIGATION IS NECESSARY Notes: DEBBIE: CHANGED DESC	Y	3
	CA075	CA PRIORITIZATION	N	3
	CA075HI	CA PRIORITIZATION-HIGH CA PRIORITY	Y	1
	CA075LO	CA PRIORITIZATION-LOW CA PRIORITY	Y	1
	CA075ME	CA PRIORITIZATION-MEDIUM CA PRIORITY	Y	1
	CA100	INVESTIGATION IMPOSITION Notes: DEBBIE: CHANGED DESC	Y	1
	CA100DC	RFI IMPOSITION-FOCUSED DATA COLLECTION REQ STAB EVAL Notes: DEBBIE: TO BE DELETED PER PAA	N	3
	CA110	INVESTIGATION WORKPLAN RECEIVED Notes: DEBBIE: CHANGED DESC	Y	3
	CA120	INVESTIGATION WORKPLAN MODIFICATION REQ BY AGENCY Notes: DEBBIE: CHANGED DESC	Y	3
	CA140	INVESTIGATION WORKPLAN NOTICE OF DEFICIENCY ISSUED Notes: DEBBIE: CHANGED DESC	Y	3
	CA150	INVESTIGATION WORKPLAN APPROVED Notes: DEBBIE: CHANGED DESC	Y	3
	CA155	INVESTIGATION SUPPLEMENTAL INFO REQ BY AGENCY Notes: DEBBIE: CHANGED DESC	Y	3
	CA160	INVESTIGATION SUPPLEMENTAL INFORMATION RECEIVED Notes: DEBBIE: CHANGED DESC	Y	3
	CA170	INVESTIGATION SUPPLEMENTAL INFO DEEMED SATISFACT Notes: DEBBIE: CHANGED DESC	Y	3
	CA180	INVESTIGATION IMPLEMENTATION BEGUN Notes: DEBBIE: CHANGED DESC	Y	3
	CA190	INVESTIGATION REPORT RECEIVED Notes: DEBBIE: CHANGED DESC	Y	3
	CA195	INVESTIGATION PROGRESS REPORTS RECEIVED Notes: DEBBIE: CHANGED DESC	Y	3
	CA200	INVESTIGATION COMPLETE Notes: DEBBIE: CHANGED DESC	Y	3
	CA210	REFERRED TO A NON-RCRA AUTHORITY Notes: DEBBIE: TO BE DELETED PER PAA	N	3
	CA210OT	REFERRED TO A NON-RCRA AUTHORITY-OTHER	Y	1
	CA210SF	REFERRED TO A NON-RCRA AUTHORITY-REFERRED TO CERCLA	Y	1
	CA225	STABILIZATION MEASURES EVALUATION Notes: DEBBIE: TO BE DELETED PER PAA	N	3
	CA225IN	STABILIZATION MEASURES EVALUATION-FURTHER INVESTIGATION NECESSARY	Y	3
	CA225NF	STABILIZATION MEASURES EVALUATION-STABILIZATION NOT FEASIBLE	Y	3
	CA225NR	STABILIZATION MEASURES EVALUATION-FACILITY NOT AMENABLE TO STABILIZATION	Y	3
	CA225YE	STABILIZATION MEASURES EVALUATION-FACILITY IS AMENABLE TO STABILIZATION	Y	3
	CA250	CMS IMPOSITION	Y	3
	CA260	CMS WORKPLAN RECEIVED	Y	3
	CA270	CMS WORKPLAN MODIFICATION REQ BY AGENCY	Y	3
	CA300	CMS WORKPLAN APPROVED	Y	3
	CA305	CMS SUPPLEMENTAL INFO REQ BY AGENCY	Y	3
	CA310	CMS SUPPLEMENTAL INFORMATION RECEIVED	Y	3
	CA320	CMS SUPPLEMENT INFO DEEMED SATISFACTORY	Y	3
	CA330	CMS IMPLEMENTATION BEGUN	Y	3
	CA340	CMS REPORT RECEIVED	Y	3
	CA345	CMS PROGRESS REPORTS RECEIVED	Y	3
	CA350	CMS APPROVED	Y	3
	CA370	PETITION FOR NO FUR. ACTION RECEIPT DATE	Y	3
	CA375	INTERIM DECISION FOR NO FURTHER ACTION Notes: DEBBIE: CHANGED DESC	Y	3
	CA380	DATE FOR PUBLIC NOTICE ON PROPOSED REMEDY Notes: DEBBIE: CHANGED DESC	Y	3
	CA400	REMEDY DECISION	Y	1

CA Event Lookup Report

Report run on: January 28, 2009 9:39 AM

Owner	Event Type	Event Description	Active Status	Usage
HQ		Notes: Changed description per PCA/PAA Final Report to support 2008 CA GPRA Baseline Tracking. Was formerly "DATE FOR REMEDY SELECTION (CM IMPOSED)"		
	CA410	DATE TO SUBMIT REMEDY DESIGN	N	3
	CA450	Notes: DEBBIE: TO BE DELETED PER PAA CORRECTIVE MEASURES DESIGN APPROVED	Y	3
	CA460	COST ESTIMATE FOR REMEDY RECEIVED	N	3
	CA470	Notes: DEBBIE: TO BE DELETED PER PAA FINANCIAL ASSURANCE FOR REMEDY DEMO	N	3
	CA500	Notes: DEBBIE: TO BE DELETED PER PAA CMI WORKPLAN APPROVED	Y	3
	CA510	DETERMINATION OF TECH IMPRACTICABILITY	Y	3
	CA550	REMEDY CONSTRUCTION	N	3
		Notes: Deactivated code per PCA/PAA Final Report to support 2008 CA GPRA Baseline Tracking. Two status codes (NR, RC) are being added and the code description is changing to REMEDY CONSTRUCTION. 1/31/06		
	CA550NR	REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED	Y	1
		Notes: Changed description and added status code per PCA/PAA Final Report to support 2008 CA GPRA Baseline Tracking. Was formerly "CERTIFICATION OF REMEDY COMPLETION (CMI)". 1/31/06		
	CA550RC	REMEDY CONSTRUCTION-REMEDY CONSTRUCTED	Y	1
		Notes: Changed description for CA550 and added status code per PCA/PAA Final Report to support 2008 CA GPRA Baseline Tracking. Was formerly "CERTIFICATION OF REMEDY COMPLETION (CMI)". 01/31/06		
	CA600	STABILIZATION/INTERIM MEASURES DECISION	Y	3
	CA600EC	Notes: DEBBIE: CHANGED DESC STABILIZATION/INTERIM MEASURES DECISION-PRIMARY MEAS IS EXPOSURE CONTROL	Y	3
	CA600GW	Notes: DEBBIE: CHANGED DESC STABILIZATION/INTERIM MEASURES DECISION-GROUNDWATER EXTRACTION & TREATMENT	Y	3
	CA600OT	Notes: DEBBIE: CHANGED DESC STABILIZATION/INTERIM MEASURES DECISION-OTHER	Y	3
	CA600SR	Notes: DEBBIE: CHANGED DESC STABILIZATION/INTERIM MEASURES DECISION-PRIMARY MEAS IS SOURCE REMOVL &/OR TRT	Y	3
	CA650	Notes: DEBBIE: CHANGED DESC STABILIZATION CONSTRUCTION COMPLETED	Y	3
	CA650EC	STABILIZATION CONSTRUCTION COMPLETED - PRIMARY MEASURE IS EXPOSURE CONTROL	Y	3
	CA650GW	STABILIZATION CONSTRUCTION COMPLETED - GROUNDWATER EXTRACTION AND TREATMENT	Y	3
	CA650OT	STABILIZATION CONSTRUCTION COMPLETED - OTHER	Y	3
	CA650SR	STABILIZATION CONSTRUCTION COMPLETED - PRIMARY MEAS SOURCE REMOVAL AND-OR TRTMT	Y	3
	CA725	HUMAN EXPOSURES CONTROLLED DETERMINATION	N	3
	CA725IN	HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED	Y	1
	CA725NA	HUMAN EXPOSURES CONTROLLED DETERMINATION-PREVIOUS DETERMINATION NOT APPLICABLE	N	3
	CA725NC	HUMAN EXPOSURES CONTROLLED DETERMINATION-NO CONTROL MEASURES NEEDED	N	3
	CA725NO	HUMAN EXPOSURES CONTROLLED DETERMINATION-FACILITY DOES NOT MEET DEFINITION	Y	1
	CA725YE	HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE	Y	1
	CA750	RELEASE TO GW CONTROLLED DETERMINATION	N	3
	CA750IN	RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED	Y	1
	CA750NA	RELEASE TO GW CONTROLLED DETERMINATION-PREVIOUS DETERMINATION NOT APPLICABLE	N	3
	CA750NO	RELEASE TO GW CONTROLLED DETERMINATION-FACILITY DOES NOT MEET DEFINITION	Y	1
	CA750NR	RELEASE TO GW CONTROLLED DETERMINATION-NO RELEASE TO GROUNDWATER	N	3
	CA750YE	RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE	Y	1
	CA770GW	ENGINEERING CONTROLS ESTABLISHED-GROUNDWATER CONTROL	Y	1
		Notes: Initial Institutional Control Tracking		
	CA770NG	ENGINEERING CONTROLS ESTABLISHED-NON-GROUNDWATER CONTROL	Y	1
		Notes: Initial Institutional Control Tracking		
	CA772EP	INSTITUTIONAL CONTROLS ESTABLISHED-ENFORCEMENT AND PERMIT TOOLS	Y	1
		Notes: Initial Institutional Control Tracking		
	CA772GC	INSTITUTIONAL CONTROLS ESTABLISHED-GOVERNMENTAL CONTROL	Y	1
		Notes: Initial Institutional Control Tracking		
	CA772ID	INSTITUTIONAL CONTROLS ESTABLISHED-INFORMATIONAL DEVICE	Y	1
		Notes: Initial Institutional Control Tracking		
	CA772PR	INSTITUTIONAL CONTROLS ESTABLISHED-PROPRIETARY CONTROL	Y	1
		Notes: Initial Institutional Control Tracking		
	CA780GW	ENGINEERING CONTROLS TERMINATED - GROUNDWATER CONTROL	Y	1
	CA780NG	ENGINEERING CONTROLS TERMINATED - NON-GROUNDWATER CONTROL	Y	1

CA Event Lookup Report

Report run on: January 28, 2009 9:39 AM

Owner	Event Type	Event Description	Active Status	Usage
HQ	CA782EP	INSTITUTIONAL CONTROLS TERMINATED - ENFORCEMENT AND PERMIT TOOLS	Y	1
	CA782GC	INSTITUTIONAL CONTROLS TERMINATED - GOVERNMENTAL CONTROL	Y	1
		Notes: DEBBIE: USAGE SHOULD BE 1 PER PAA		
	CA782ID	INSTITUTIONAL CONTROLS TERMINATED - INFORMATIONAL DEVICE	Y	1
	CA782PR	INSTITUTIONAL CONTROLS TERMINATED - PROPRIETARY CONTROL	Y	1
	CA800NO	READY FOR ANTICIPATED USE DETERMINATION - NOT READY FOR ANTICIPATED USE	Y	1
		Notes: DEBBIE: CHANGED DESC		
	CA800YE	READY FOR ANTICIPATED USE DETERMINATION - READY FOR ANTICIPATED USE	Y	1
		Notes: DEBBIE: CHANGED DESC		
	CA900CR	CA PERFORMANCE STANDARDS ATTAINED - CONTROLS REQUIRED	Y	1
	CA900NC	CA PERFORMANCE STANDARDS ATTAINED - NO CONTROLS NECESSARY	Y	1
	CA999	CA PROCESS IS TERMINATED	Y	1
	CA999NF	CA PROCESS IS TERMINATED-NO FURTHER ACTION	Y	1
	CA999RM	CA PROCESS IS TERMINATED-REMEDIAL ACTIVITIES COMPLETE	Y	1
	Owner Count:	98		
Total Count:		98		

*** End of Report ***