

---

## AAUTHORITY4

---

<b>English Name</b>	EPA Handler ID <b>(Primary Key)</b>
<b>Oracle Name</b>	HANDLER_ID
<b>Description</b>	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
<b>Data Type and Length</b>	VARCHAR2 (12)
<b>Allowed Values</b>	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
<b>Default Value</b>	
<b>Notes</b>	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.

---

<b>English Name</b>	Authority Activity Location <b>(Primary Key)</b>
<b>Oracle Name</b>	AUTHORITY_ACTIVITY_LOCATION
<b>Description</b>	Indicates the location of the agency regulating the activity.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	State postal code
<b>Default Value</b>	

---

<b>English Name</b>	Authority Agency <b>(Primary Key)</b>
<b>Oracle Name</b>	AUTHORITY_AGENCY
<b>Description</b>	Code indicating the agency responsible for originating the specific order, permit, or permit modification, and for overseeing the activities imposed by that authority.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	E            EPA J            Joint S            State
<b>Default Value</b>	

---

<b>English Name</b>	Authority Type Owner <b>(Primary Key)</b>
<b>Oracle Name</b>	AUTHORITY_OWNER
<b>Foreign Key</b>	Foreign key to OWNER in LU_AUTHORITY.
<b>Description</b>	Indicates the agency that defined the Authority Type.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	HQ            Nationally defined
<b>Default Value</b>	

---

## AAUTHORITY4

---

<b>English Name</b>	Authority Type <b>(Primary Key)</b>
<b>Oracle Name</b>	AUTHORITY_TYPE
<b>Foreign Key</b>	Foreign key to AUTHORITY TYPE in LU_AUTHORITY.
<b>Description</b>	A code used to indicate whether a permit, administrative order, or other authority has been issued to implement the corrective action process.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	Nationally-defined value in LU_AUTHORITY

Existing nationally-defined values:

A	Consent Order An order issued by the Agency that is negotiated with a respondent. The terms of the order are discussed and agreed upon by both EPA and the respondent before the order is signed. A Consent Order has the same effect of a Unilateral Order, and therefore, any violation of a Consent Order will result in an enforcement action.
C	Consent Decree
D	Judicial Decree An order by the court to undertake some activity or pay a fine to the government for violating RCRA and/or its regulation. It is not the result of an administrative action. A judge may either approve a settlement proposed by the parties, or he/she can impose his/her own remedy.
H	HSWA-Only Permit
I	Interim Status
J	Judicial Order
M	Permit Modification
N	Order Modification
O	Operating Permit
P	Post-Closure Permit
S	State Analogous Actions implemented using a State non-RCRA/HSWA analogous authority.
U	Unilateral Order
V	Voluntary CA
X	Agency Policy / Procedure
Z	Other

### Default Value

---

<b>English Name</b>	Authority Effective Date <b>(Primary Key)</b>
<b>Oracle Name</b>	AUTHORITY_EFFECTIVE_DATE
<b>Description</b>	For a permit modification, the effective date is cited in that document. For a unilateral order or consent decree, it is the date the authorized agency official signs the order, unless a different date is cited within the order.
<b>Data Type and Length</b>	DATE
<b>Allowed Values</b>	Valid date >= October 1, 1980 and <= Today in MM/DD/YYYY format.
<b>Default Value</b>	

---

## AAUTHORITY4

---

**English Name** Issue Date  
**Oracle Name** ISSUE\_DATE  
**Description** Date the authorized agency official signs the order, permit, or permit modification.  
**Data Type and Length** DATE  
**Allowed Values** Valid date <=Effective Date in MM/DD/YYYY format.  
 blank Not provided  
**Default Value** blank

**English Name** End Date  
**Oracle Name** END\_DATE  
**Description** The date when the corrective action authority is revoked or ended.  
**Data Type and Length** DATE  
**Allowed Values** Valid date >= Effective Date in MM/DD/YYYY format.  
 blank Not provided  
**Default Value** blank

**English Name** Repository Established  
**Oracle Name** REPOSITORY  
**Description** The action by which the Director requires the owner/operator to establish and maintain an information repository at a location near the facility for the purpose of making accessible to interested parties documents, reports, and other public information relevant to public understanding of the activities, findings, and plans for such corrective action initiatives.  
**Data Type and Length** CHAR (1)  
**Allowed Values** 1 Not applicable  
 2 Required, established  
 3 Required, not established  
 blank Not provided  
**Default Value** blank

**English Name** Responsible Person Owner  
**Oracle Name** RESPONSIBLE\_PERSON\_OWNER  
**Foreign Key** Foreign key to OWNER in LU\_STAFF.  
**Description** Indicates the agency that defined the Responsible Person.  
**Data Type and Length** CHAR (2)  
**Allowed Values** 01 - 10 Region  
 State postal code  
 blank Not provided  
**Default Value** blank  
**Notes** If Responsible Person is provided then Responsible Person Owner must be provided.

---

## AAUTHORITY4

---

**English Name** Responsible Person  
**Oracle Name** RESPONSIBLE\_PERSON  
**Foreign Key** Foreign key to PERSON\_IDENTIFIER in LU\_STAFF.  
**Description** Person responsible for overseeing the activities undertaken by the authority.  
**Data Type and Length** VARCHAR2 (5)  
**Allowed Values** Implementer-defined value in LU\_STAFF  
 blank Not provided  
**Default Value** blank  
**Notes** If Responsible Person Owner is provided then Responsible Person must be provided.

**English Name** Suborganization Owner  
**Oracle Name** SUBORGANIZATION\_OWNER  
**Foreign Key** Foreign key to OWNER in LU\_SUBORGANIZATION.  
**Description** Indicates the agency that defined the Suborganization.  
**Data Type and Length** CHAR (2)  
**Allowed Values** 01 - 10 Region  
 State postal code  
 blank Not provided  
**Default Value** blank  
**Notes** If Suborganization is provided then Suborganization Owner must be provided.

**English Name** Suborganization  
**Oracle Name** SUBORGANIZATION  
**Foreign Key** Foreign key to SUBORGANIZATION in LU\_SUBORGANIZATION.  
**Description** Name or abbreviation of a state division/section (suborganization).  
**Data Type and Length** VARCHAR2 (10)  
**Allowed Values** Implementer-defined value in LU\_SUBORGANIZATION  
 blank Not provided  
**Default Value** blank  
**Notes** If Suborganization Owner is provided then Suborganization must be provided.

**English Name** Lead Program  
**Oracle Name** LEAD\_PROGRAM  
**Description** Code indicating the program in which the organization establishes the applicable guidance that the authority should be issued.  
**Data Type and Length** CHAR (1)  
**Allowed Values** C CERCLA  
 R RCRA  
 blank Not provided  
**Default Value** blank

---

## AAUTHORITY4

---

<b>English Name</b>	User ID of Last Change
<b>Oracle Name</b>	USERID
<b>Description</b>	Records the user ID of the last person to change the data.
<b>Data Type and Length</b>	VARCHAR2 (6)
<b>Allowed Values</b>	Valid user ID
<b>Default Value</b>	Current user ID

---

<b>English Name</b>	Date of Last Change
<b>Oracle Name</b>	LAST_CHANGE
<b>Description</b>	Records the date that the data was last changed.
<b>Data Type and Length</b>	DATE
<b>Allowed Values</b>	Valid date/time stamp
<b>Default Value</b>	Current date and time

---

<b>English Name</b>	Notes
<b>Oracle Name</b>	NOTES
<b>Description</b>	Additional description of the authority.
<b>Data Type and Length</b>	VARCHAR2 (2000)
<b>Allowed Values</b>	Any value blank          Not provided
<b>Default Value</b>	blank

**\* End of Report \***