
CSEP3

English Name	EPA Handler ID (Primary Key)
Oracle Name	HANDLER_ID
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
Data Type and Length	VARCHAR2 (12)
Allowed Values	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
Default Value	
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.
English Name	Enforcement Activity Location (Primary Key)
Oracle Name	ENF_ACTIVITY_LOCATION
Description	Indicates the location of the agency regulating the activity.
Data Type and Length	CHAR (2)
Allowed Values	State postal code
Default Value	
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.
English Name	Enforcement Identifier (Primary Key)
Oracle Name	ENF_IDENTIFIER
Description	Name or number assigned by the implementing agency to identify an enforcement.
Data Type and Length	VARCHAR2 (3)
Allowed Values	Any non-blank value
Default Value	001
Notes	
English Name	Date of Enforcement Action (Primary Key)
Oracle Name	ENF_ACTION_DATE
Description	The date the enforcement action was issued. For all formal actions involving written documents, the date should be the same as the date the document is signed. For an informal action, the date should reflect the date the handler received actual notification.
Data Type and Length	DATE
Allowed Values	For enforcement actions linked to a violation: Valid date >= Date Violation Was Determined and <= Today in MM/DD/YYYY format For enforcement actions not linked to a violation: Valid date >= January 1, 1980 and <= Today in MM/DD/YYYY format
Default Value	

CSEP3

English Name Enforcement Responsible Agency **(Primary Key)**
Oracle Name ENF_AGENCY
Description Agency responsible for issuing the enforcement action.
Data Type and Length CHAR (1)
Allowed Values E EPA
S State
Default Value

English Name SEP Sequence Number **(Primary Key)**
Oracle Name SEP_SEQ
Description A system-generated sequence number to uniquely identify SEPs for a given site.
Data Type and Length NUMBER (2.0)
Allowed Values 1 - 99
Default Value Next sequential number

English Name SEP Expenditure Amount
Oracle Name EXPENDITURE_AMOUNT
Description The actual amount of the SEP expenditure.
Data Type and Length NUMBER (13.2)
Allowed Values 0.01 - 9,999,999,999.99
blank Not provided
Default Value blank

English Name SEP Scheduled Completion Date
Oracle Name SCHEDULED_COMPLETION_DATE
Description Date set by an enforcement action for the full or partial expenditure of funds for a SEP project.
Data Type and Length DATE
Allowed Values Valid date >= Date of Enforcement Action in MM/DD/YYYY format
blank Not provided
Default Value blank

CSEP3

English Name SEP Actual Date
Oracle Name ACTUAL_COMPLETION_DATE
Description The actual date of a SEP expenditure.
Data Type and Length DATE
Allowed Values Valid date >= Date of Enforcement Action and <= Today in MM/DD/YYYY format
 blank Not provided
Default Value blank

English Name SEP Defaulted Date
Oracle Name DEFAULTED_DATE
Description The date a site defaulted on a SEP.
Data Type and Length DATE
Allowed Values Valid date >= Scheduled Completion Date and <= Today in MM/DD/YYYY format
 blank Not provided
Default Value blank

English Name SEP Type Owner
Oracle Name SEP_OWNER
Foreign Key Foreign key to OWNER in LU_SEP_TYPE.
Description Indicates the agency that defined the SEP Type.
Data Type and Length CHAR (2)
Allowed Values 01 - 10 Region
 HQ Nationally defined
 State postal code
Default Value

English Name Supplemental Environmental Project (SEP) Type
Oracle Name SEP_TYPE
Foreign Key Foreign key to SEP_TYPE in LU_SEP_TYPE.
Description Code that indicates the type of Supplemental Environmental Project associated with the enforcement action.
Data Type and Length VARCHAR2 (3)
Allowed Values Nationally- or implementer-defined value in LU_SEP_TYPE

 Existing nationally-defined values:
 EAA Environmental Audits and Assessment
 SEP types that involve auditing and assessment activities.
 EAP Environmental Awareness Programs
 SEP types that involve education and outreach activities, to both regulated and non-regulated communities.
 EMS Environmental Management Systems

CSEP3

SEP types that involve Environmental Management Systems.

Note: These types of SEPS must still be approved by HQ prior to issuance.

EPP	Emergency Planning and Preparedness SEP types involving emergency planning, preparedness, and related emergency management activities.
ERE	Environmental Restoration SEP types involving environmental restoration and revitalization activities.
PHE	Public Health SEP types involving activities impacting on public health.
PPR	Pollution Prevention and Reduction SEP types involving pollution prevention and/or pollution reduction activities.

Default Value

English Name	User ID of Last Change
Oracle Name	USERID
Description	Records the user ID of the last person to change the data.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Valid user ID
Default Value	Current user ID

English Name	Date of Last Change
Oracle Name	LAST_CHANGE
Description	Records the date that the data was last changed.
Data Type and Length	DATE
Allowed Values	Valid date/time stamp
Default Value	Current date and time

English Name	Notes
Oracle Name	NOTES
Description	Additional description or information pertaining to the Supplemental Environmental Project (SEP).
Data Type and Length	VARCHAR2 (2000)
Allowed Values	Any value blank Not provided
Default Value	blank

*** End of Report ***