
HHSM_WASTE_CODE5

Business Rules	<ul style="list-style-type: none"> • User must be the implementer of record for Handler information. • Handler Id, Activity Location, Source Type, Sequence Number, and HSM Sequence Number must exist in HHSM_ACTIVITY5. • Handler ID, Activity Location, Source Type, Sequence Number, HSM Sequence Number, Waste Code Owner, and Waste Code must be unique. • Use of the HHSM_WASTE_CODE5 table is mandatory for States that have adopted the Definition of Solid Waste rule.
-----------------------	--

English Name	EPA Handler ID (Primary Key)
Oracle Name	HANDLER_ID
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
Data Type and Length	VARCHAR2 (12)
Allowed Values	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
Default Value	
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.

English Name	Activity Location (Primary Key)
Oracle Name	ACTIVITY_LOCATION
Description	Indicates the location of the agency regulating the handler.
Data Type and Length	CHAR (2)
Allowed Values	State postal code
Default Value	Location associated with the current user ID.
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.

English Name	Source Type (Primary Key)								
Oracle Name	SOURCE_TYPE								
Description	Code indicating the source of information for the associated data (activity, wastes, etc.).								
Data Type and Length	CHAR (1)								
Allowed Values	<table border="0" style="width: 100%;"> <tr> <td style="width: 5%; vertical-align: top;">A</td> <td>Part A Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit.</td> </tr> <tr> <td style="vertical-align: top;">B</td> <td>Annual/Biennial Report updated with Notification</td> </tr> <tr> <td style="vertical-align: top;">E</td> <td>Emergency Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days.</td> </tr> <tr> <td style="vertical-align: top;">I</td> <td>Implementer</td> </tr> </table>	A	Part A Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit.	B	Annual/Biennial Report updated with Notification	E	Emergency Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days.	I	Implementer
A	Part A Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit.								
B	Annual/Biennial Report updated with Notification								
E	Emergency Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days.								
I	Implementer								

HHSM_WASTE_CODE5

N	Notification Indicates that the facility's waste activity is regulated under Subtitle C of the Resource Conservation and Recovery Act and the rules promulgated pursuant to the Act or the facility is an eligible academic entity opting into 40 CFR 262 Subpart K or the facility will begin managing hazardous secondary material under 40 CFR 261.2(a)(2)(ii), 40 CFR 261.4(a)(23), (24), or (25).
R	Annual/Biennial Report
T	Temporary

Default Value

Notes If the BR Report Cycle >= 2009 then the Source Type must equal 'B'.

English Name Handler Sequence Number **(Primary Key)**

Oracle Name SEQ_NUMBER

Description Sequence number for each source record about a handler.

Data Type and Length NUMBER (6.0)

Allowed Values 1 - 999999

Default Value

English Name Hazardous Secondary Material Sequence Number **(Primary Key)**

Oracle Name HSM_SEQ_NUMBER

Description Sequence number for each hazardous secondary material activity record for a handler.

Data Type and Length NUMBER (2.0)

Allowed Values 1 - 99

Default Value

English Name Hazardous Secondary Material Waste Code Owner **(Primary Key)**

Oracle Name WASTE_CODE_OWNER

Foreign Key Foreign key to OWNER in LU_WASTE_CODE.

Description Indicates the agency that defined the Waste Code.

Data Type and Length CHAR (2)

Allowed Values HQ Nationally defined

Default Value

HHSM_WASTE_CODE5

English Name	Hazardous Secondary Material Waste Code (Primary Key)
Oracle Name	WASTE_CODE
Foreign Key	Foreign key to WASTE_CODE in LU_WASTE_CODE.
Description	Four-digit hazardous waste code that would apply to your hazardous secondary material if you managed it as hazardous waste. These codes are listed in 40 CFR Part 261, Subparts C and D.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Nationally-defined value in LU_WASTE_CODE
Default Value	
Notes	<p>For a list of valid nationally-defined waste codes, refer to the Nationally Defined Value section in the RCRAInfo on-line help utility.</p> <p>Federal: Four character alphanumeric code that identifies each hazardous waste listed in 40 CFR Part 261, Subpart D and to each characteristic waste identified in 40 CFR Part 261, Subpart C. "D" codes are characteristic waste codes (reactive waste, arsenic, lindane); "F" codes are codes for wastes from non-specific sources (spent cyanide plating bath solutions from electroplating operations); "K" codes are wastes from specific sources (spent potliners from primary aluminum reduction); "P" codes are acutely hazardous compounds (potassium cyanide); "U" codes are toxic compounds (creosote, chloroform).</p>

English Name	User ID of Last Change
Oracle Name	USERID
Description	Records the user ID of the last person to change the data.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Valid user ID
Default Value	Current user ID

English Name	Date of Last Change
Oracle Name	LAST_CHANGE
Description	Records the date that the data was last changed.
Data Type and Length	DATE
Allowed Values	Valid date/time stamp
Default Value	Current date and time

*** End of Report ***