
HOTHER_ID5

Business Rules	<ul style="list-style-type: none"> • User must be the implementer of record for Handler information. • Handler ID must exist in HBASIC. • Handler ID, Activity Location, and Other ID must be unique. • Use of the HOTHER_ID5 table is optional.
English Name	EPA Handler ID (Primary Key)
Oracle Name	HANDLER_ID
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
Data Type and Length	VARCHAR2 (12)
Allowed Values	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
Default Value	
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.
English Name	Activity Location (Primary Key)
Oracle Name	ACTIVITY_LOCATION
Description	Indicates the location of the agency regulating the handler.
Data Type and Length	CHAR (2)
Allowed Values	State postal code
Default Value	Location associated with the current user ID.
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.
English Name	Other ID (Primary Key)
Oracle Name	OTHER_ID
Description	Additional identification for the handler
Data Type and Length	VARCHAR2 (12)
Allowed Values	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters (defined as a number, letter, space, or dash; however, the ID can not contain all spaces).
Default Value	

HOTHER_ID5

English Name Relationship Type Owner
Oracle Name RELATIONSHIP_OWNER
Foreign Key Foreign key to OWNER in LU_RELATIONSHIP.
Description Indicates the agency that defined the Relationship Type.
Data Type and Length CHAR (2)
Allowed Values
Default Value

English Name Relationship Type
Oracle Name RELATIONSHIP
Foreign Key Foreign key to RELATIONSHIP in LU_RELATIONSHIP.
Description The relationship between the other ID and the handler ID.
Data Type and Length CHAR (1)
Allowed Values Nationally- or implementer-defined value in LU_RELATIONSHIP.

Existing nationally-defined values:

C	Converted from Second ID Converted from HHANDLER2.SECOND_ID for site being reported. (Prior to conversion on 03/02/2007).
F	Site Fragment ID of fragment that split from site being reported.
G	ID Before Site Fragment ID of more extensive site from which site being reported split.
J	Joined Site ID of site formed when ID being reported and other contiguous site(s) joined.
K	ID Before Sites Joined ID of one of several smaller contiguous sites that joined to form site being reported.
M	Multiple Occupant Is/was one of multiple occupants within facility footprint.
N	Concurrent Ownership Additional ID intentionally issued to the site being reported for the same ownership and time interval.
O	Other
P	ID used at site (no further details available). Previous Id
S	ID used at site being reported and is not longer used. State ID
T	ID issued to site by State and may still be used by State. Redundant State Id
Y	ID issued to site by State and is no longer used. Became Brownfields ID issued when site being reported became a Brownfields site.

HOTHER_ID5

Z Pre-Brownfields
ID used before site being reported became a Brownfields site.

Default Value

English Name Same Facility
Oracle Name SAME_FACILITY
Description Indicates if the other ID refers to the same facility as the handler ID.
Data Type and Length CHAR (1)
Allowed Values N No
 U Unknown
 Y Yes

Default Value

English Name User ID of Last Change
Oracle Name USERID
Description Records the user ID of the last person to change the data.
Data Type and Length VARCHAR2 (6)
Allowed Values Valid user ID
Default Value Current user ID

English Name Date of Last Change
Oracle Name LAST_CHANGE
Description Records the date that the data was last changed.
Data Type and Length DATE
Allowed Values Valid date/time stamp
Default Value Current date and time

HOTHER_ID5

English Name	Notes
Oracle Name	NOTES
Description	Additional information regarding other IDs for this facility.
Data Type and Length	VARCHAR2 (2000)
Allowed Values	Any value blank Not provided
Default Value	blank

*** End of Report ***