
HOWNER_OPERATOR5

Business Rules	<ul style="list-style-type: none"> • User must be the implementer of record for Handler information. • Handler ID, Activity Location, Source Type, and Sequence Number must exist in HHANDLER5. • Handler ID, Activity Location, Source Type, Sequence Number, and Owner/Operator Sequence Number must be unique. • Use of the HOWNER_OPERATOR5 table is mandatory. 												
English Name	EPA Handler ID (Primary Key)												
Oracle Name	HANDLER_ID												
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).												
Data Type and Length	VARCHAR2 (12)												
Allowed Values	<p>Valid ID as outlined below:</p> <p>The ID can be a minimum of 4 characters and a maximum of 12 characters.</p> <p>The first two characters must be a valid state postal code which corresponds to the state in which the handler is located.</p> <p>Spaces are not allowed.</p>												
Default Value													
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.												
English Name	Activity Location (Primary Key)												
Oracle Name	ACTIVITY_LOCATION												
Description	Indicates the location of the agency regulating the handler.												
Data Type and Length	CHAR (2)												
Allowed Values	State postal code												
Default Value	Location associated with the current user ID.												
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.												
English Name	Source Type (Primary Key)												
Oracle Name	SOURCE_TYPE												
Description	Code indicating the source of information for the associated data (activity, wastes, etc.).												
Data Type and Length	CHAR (1)												
Allowed Values	<table> <tr> <td>A</td> <td>Part A</td> </tr> <tr> <td></td> <td>Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit.</td> </tr> <tr> <td>B</td> <td>Annual/Biennial Report updated with Notification</td> </tr> <tr> <td>E</td> <td>Emergency</td> </tr> <tr> <td></td> <td>Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days.</td> </tr> <tr> <td>I</td> <td>Implementer</td> </tr> </table>	A	Part A		Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit.	B	Annual/Biennial Report updated with Notification	E	Emergency		Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days.	I	Implementer
A	Part A												
	Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit.												
B	Annual/Biennial Report updated with Notification												
E	Emergency												
	Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days.												
I	Implementer												

OWNER_OPERATOR5

N	Notification Indicates that the facility's waste activity is regulated under Subtitle C of the Resource Conservation and Recovery Act and the rules promulgated pursuant to the Act or the facility is an eligible academic entity opting into 40 CFR 262 Subpart K or the facility will begin managing hazardous secondary material under 40 CFR 261.2(a)(2)(ii), 40 CFR 261.4(a)(23), (24), or (25).
R	Annual/Biennial Report
T	Temporary

Default Value**Notes**

If the BR Report Cycle >= 2009 then the Source Type must equal 'B'.

English Name

Handler Sequence Number **(Primary Key)**

Oracle Name

SEQ_NUMBER

Description

Sequence number for each source record about a handler.

Data Type and Length

NUMBER (6.0)

Allowed Values

1 - 999999

Default Value**English Name**

Owner/Operator Sequence Number **(Primary Key)**

Oracle Name

OWNER_OPERATOR_SEQ

Description

Sequential number used to order multiple occurrences of owners and operators.

Data Type and Length

NUMBER (4.0)

Allowed Values

1 - 9999

Default Value**English Name**

Owner/Operator Indicator

Oracle Name

OWNER_OPERATOR_INDICATOR

Description

Code indicating whether the data is associated with a current or previous owner or operator. The system will allow multiple current owners and operators.

Data Type and Length

CHAR (2)

Allowed Values

CO	Current owner
CP	Current operator
PO	Previous owner
PP	Previous operator

Default Value**Notes**

If the Receive Date >= 1/1/2004 then the Owner/Operator Indicator cannot equal 'PO' - Previous owner or 'PP' - Previous operator.

OWNER_OPERATOR5

English Name Owner/Operator Type
Oracle Name OWNER_OPERATOR_TYPE
Description Owner Type: Code indicating the type of entity that legally owns the facility.
 Operator Type: Code indicating the type of entity that is responsible for the overall operation of the facility.

Data Type and Length CHAR (1)
Allowed Values

C	County
D	District
F	Federal
I	Tribal
M	Municipal
O	Other
P	Private
S	State

Default Value

English Name Owner/Operator Name
Oracle Name OWNER_OPERATOR_NAME
Description Owner Name: The name of the entity (individual, agency, or corporation) having legal ownership of the physical operation. The owner name may or may not be the same as the actual site name or the operator name.
 Operator Name: The name of the entity (individual, agency, or corporation) that is responsible for the overall operation of the facility. The operator name may or may not be the same as the actual site name or the owner name.

Data Type and Length VARCHAR2 (40)
Allowed Values Any non-blank value

Default Value

English Name Date Became Current
Oracle Name DATE_BECAME_CURRENT
Description Date indicating when the owner/operator became current.
Data Type and Length DATE
Allowed Values Valid date greater than or equal to January 1, 1600 in MM/DD/YYYY format
 blank Not provided
Default Value blank

HOWNER_OPERATOR5

English Name Date Ended Current
Oracle Name DATE_ENDED_CURRENT
Description Date indicating when the owner/operator changed to a different owner/operator.
Data Type and Length DATE
Allowed Values Valid date greater than or equal to the Date Became Current in MM/DD/YYYY format
 blank Not provided
Default Value blank
Notes When entering a new owner/operator, any previous owners/operators that are no longer current should be updated to include a Date Ended Current.

English Name Owner/Operator Street Number
Oracle Name STREET_NO
Description The street number from the address of the facility owner or operator.
Data Type and Length VARCHAR2 (12)
Allowed Values Any value
 blank Not provided
Default Value blank

English Name Owner/Operator Street 1
Oracle Name STREET1
Description First line of the street address or post office box number of the facility owner or operator.
Data Type and Length VARCHAR2 (30)
Allowed Values Any value
 blank Not provided
Default Value blank

English Name Owner/Operator Street 2
Oracle Name STREET2
Description Second line of the street address or post office box number of the facility owner or operator.
Data Type and Length VARCHAR2 (30)
Allowed Values Any value
 blank Not provided
Default Value blank

HOWNER_OPERATOR5

English Name	Owner/Operator City
Oracle Name	CITY
Description	The city or town in the address of the facility owner or operator.
Data Type and Length	VARCHAR2 (25)
Allowed Values	Any value blank Not provided
Default Value	blank
English Name	Owner/Operator State
Oracle Name	STATE
Foreign Key	If Country Code = 'US' or blank then foreign key to POSTAL_CODE in LU_STATE. If Country Code <> 'US' or blank then foreign key to COUNTRY_CODE in LU_COUNTRY.
Description	The state code in the address of the facility owner or operator.
Data Type and Length	CHAR (2)
Allowed Values	If Owner/Operator Country <> US or blank then State code in LU_FOREIGN_STATE If Owner/Operator Country = US or blank then State postal code in LU_STATE blank Not provided
Default Value	blank
Notes	For a list of valid state codes, refer to the Column Information Report for LU_STATE and LU_FOREIGN_STATE.
English Name	Owner/Operator Zip Code
Oracle Name	ZIP
Description	Zip code in the address of the owner or operator.
Data Type and Length	VARCHAR2 (14)
Allowed Values	Any value blank Not provided
Default Value	blank
English Name	Owner/Operator Country
Oracle Name	COUNTRY
Foreign Key	Foreign key to COUNTRY_CODE in LU_COUNTRY.
Description	The country code in the address of the facility owner or operator.
Data Type and Length	CHAR (2)
Allowed Values	Country code in LU_COUNTRY US United States blank US (United States)
Default Value	US

HOWNER_OPERATOR5

Notes For a list of valid country codes, refer to the Column Information Report for LU_COUNTRY.

If Country is blank, then a value of 'US' will be assumed.

English Name Owner/Operator Telephone Number

Oracle Name PHONE

Description Telephone number associated with the owner or operator.

Data Type and Length VARCHAR2 (15)

Allowed Values Any value
blank Not provided

Default Value blank

Notes Telephone number can include space, parentheses and hyphen.

English Name User ID of Last Change

Oracle Name USERID

Description Records the user ID of the last person to change the data.

Data Type and Length VARCHAR2 (6)

Allowed Values Valid user ID

Default Value Current user ID

English Name Date of Last Change

Oracle Name LAST_CHANGE

Description Records the date that the data was last changed.

Data Type and Length DATE

Allowed Values Valid date/time stamp

Default Value Current date and time

HOWNER_OPERATOR5

English Name	Notes
Oracle Name	NOTES
Description	Additional information regarding the owner/operator.
Data Type and Length	VARCHAR2 (2000)
Allowed Values	Any value blank Not provided
Default Value	blank

*** End of Report ***