
LU_PERMIT_EVENT_CODE4

English Name Event Code Owner **(Primary Key)**
Oracle Name OWNER
Description Indicates the agency that defined the Event Code.
Data Type and Length CHAR (2)
Allowed Values 01 - 10 Region
 HQ Nationally defined
 State postal code

Default Value

English Name Event Code **(Primary Key)**
Oracle Name PERMIT_EVENT_CODE
Description Code used to indicate a specific permitting/closure program event and status that has actually occurred or is scheduled to occur.
Data Type and Length VARCHAR2 (7)
Allowed Values Any non-blank value not already defined. Note: Implementers should not re-use codes that have been nationally-defined (OWNER = 'HQ').
Defined Values Nationally- or implementer-defined value in LU_PERMIT_EVENT_CODE4.

Existing nationally-defined values:

CL005NE Transfer of Ownership - Newly Transferred to this Site
 Category: Closure - General

Nationally Required: No
 CL005NO Transfer of Ownership - No Longer Regulated at this Site
 Category: Closure - General

Nationally Required: No
 CL310 Plan Received - Closure
 The receipt of a closure plan required pursuant to 40 CFR 264/265 Subpart G or equivalent State requirements.
 Category: Closure - General

Nationally Required: Yes
 CL315 Intends to Seek Permit
 Category: Closure - General

Nationally Required: No
 CL320 Closure Plan NOD
 Category: Closure - General

Nationally Required: No

LU_PERMIT_EVENT_CODE4

CL330	Revisions Received - Closure Category: Closure - General
CL340	Nationally Required: No Public Notice - Closure Category: Closure - General
CL350PH	Nationally Required: No Public Hearing - Formal - Closure Category: Closure - General
CL350PM	Nationally Required: No Public Meeting - Closure Category: Closure - General
CL360ME	Nationally Required: No Closure Plan Approved - Final Closure Category: Closure - General
CL360MO	Nationally Required: No Closure Plan Approved - Partial Closure This issuance of written correspondence to the regulated facility indicating that the closure plan has been approved by the EPA or State for implementation. A status code of MO should be entered to indicate partial closure. Category: Closure - General
CL362	Nationally Required: Yes Modification Requested Category: Closure - General
CL363	Nationally Required: Yes Modification Public Notice Category: Closure - General
CL364	Nationally Required: Yes Modification Determination - Approved Category: Closure - General

LU_PERMIT_EVENT_CODE4

CL365	Nationally Required: No Modification Request Withdrawn Category: Closure - General
CL366	Nationally Required: No Modification Determination - Denied Category: Closure - General
CL370	Nationally Required: No Receive Closure Certification The receipt by the EPA or State of written certification required by 40 CFR 264/265.115 or equivalent State requirements. Category: Closure - General
CL372CA	Nationally Required: Yes Review Closure Certification Acceptable Category: Closure - General
CL372CU	Nationally Required: No Review Closure Certification Unacceptable Category: Closure - General
CL380CA	Nationally Required: No Closure Verification - Clean Closure Acceptable Verification by the EPA or State, through the review of data, site records, certification,s and/or visual inspection, of whether the closure has been completed satisfactorily. A status code of CA should be entered when clean closure is acceptable. Category: Closure - General
CL380CU	Nationally Required: Yes Closure Verification - Clean Closure Unacceptable Verification by the EPA or State, through the review of data, site records, certification,s and/or visual inspection, of whether the closure has been completed satisfactorily. A status code of CU should be entered when clean closure is unacceptable. Category: Closure - General

LU_PERMIT_EVENT_CODE4

- CL380DA Nationally Required: Yes
Closure Verification - Waste In-Place Closure Acceptable
Verification by the EPA or State, through the review of data, site records, certification,s and/or visual inspection, of whether the closure has been completed satisfactorily.
- A status code of DA should be entered when waste in-place closure is acceptable.
- Category: Closure - General
- CL380DU Nationally Required: Yes
Closure Verification - Waste In-Place Closure Unacceptable
Verification by the EPA or State, through the review of data, site records, certification,s and/or visual inspection, of whether the closure has been completed satisfactorily.
- A status code of DU should be entered when waste in-place closure is unacceptable.
- Category: Closure - General
- CL390 Nationally Required: Yes
Notice of Deed Registry Received
Category: Closure - General
- CL395EQ Nationally Required: No
Equivalency Determination - Clean Closure Meets 40 CFR 264 Standard
Category: Closure - General
- CL395NE Nationally Required: No
Equivalency Determination - Clean Closure Does Not Meet 40 CFR 264 Standard
Category: Closure - General
- CL404 Nationally Required: No
Review of Closure Plan Completed
Category: Closure - General
- CL411 Nationally Required: No
Closure Process Begun According to Plan
Category: Closure - General
- CL411NO Nationally Required: No
Closure Process Begun - Not According to Plan

LU_PERMIT_EVENT_CODE4

	Category: Closure - General
CL413	Nationally Required: No Closure Period Completed Category: Closure - General
CL414	Nationally Required: No Facility Released From Closure Financial Assurance Requirement Category: Closure - General
EP010	Nationally Required: No Emergency Permit Request Call-In Category: Emergency Permit - General
EP020	Nationally Required: No Emergency Permit Request Received Category: Emergency Permit - General
EP025CR	Nationally Required: No Confidentiality Requested Category: Emergency Permit - General
EP025CS	Nationally Required: No Confidentiality Substantiated Category: Emergency Permit - General
EP025CU	Nationally Required: No Confidentiality Unsubstantiated Category: Emergency Permit - General
EP100	Nationally Required: No Notice of Deficiency Category: Emergency Permit - General
EP110	Nationally Required: No Revisions Received Category: Emergency Permit - General
EP150	Nationally Required: No Determined to be Complete and Technically Adequate

LU_PERMIT_EVENT_CODE4

	Category: Emergency Permit - General
EP155	Nationally Required: No Emergency Permit Oral Approval Category: Emergency Permit - General
EP160DP	Nationally Required: No Public Notice-Draft Permit Category: Emergency Permit - General
EP160ID	Nationally Required: No Public Notice-Intent to Deny Category: Emergency Permit - General
EP170PH	Nationally Required: No Public Hearing - Formal Category: Emergency Permit - General
EP170PM	Nationally Required: No Public Meeting Category: Emergency Permit - General
EP180	Nationally Required: No Received Withdrawal Request Category: Emergency Permit - General
EP190	Nationally Required: No Withdrawal Request Approved Category: Emergency Permit - General
EP200PD	Nationally Required: No Emergency Permit Final Determination - Permit Denied Category: Emergency Permit - General
EP200PI	Nationally Required: No Emergency Permit Final Determination - RCRA Permit Issued Category: Emergency Permit - General
EP205	Nationally Required: No Emergency Permit Effective

LU_PERMIT_EVENT_CODE4

	Category: Emergency Permit - General
EP260	Nationally Required: No Permit Termination Category: Emergency Permit - General
EP270	Nationally Required: No Permit Expires Category: Emergency Permit - General
EP370	Nationally Required: No Receive Closure Certification Category: Emergency Permit - General
EP380CA	Nationally Required: No Closure Verification - Clean Closure Acceptable Category: Emergency Permit - General
OP001CS	Nationally Required: No Part A Received - Request for Change Under Interim Status Category: Operating Permit - General
OP001IS	Nationally Required: No Part A Received - Initial Submittal Category: Operating Permit - General
OP001PB	Nationally Required: No Part A Received - Submitted with a Part B or Modification Request Category: Operating Permit - General
OP002AK	Nationally Required: No Part A Determination - Acknowledgement of Part A Receipt Category: Operating Permit - General
OP002AP	Nationally Required: No Part A Determination - Approval of Interim Status Change Category: Operating Permit - General
OP002DR	Nationally Required: No Part A Determination - Denied Request

LU_PERMIT_EVENT_CODE4

	Category: Operating Permit - General
OP002VE	Nationally Required: No Part A Determination - Verified by Inspection to Exist Category: Operating Permit - General
OP003AD	Nationally Required: No Process Determination - Agency (State or EPA) Determination Category: Operating Permit - General
OP003FD	Nationally Required: No Process Determination - Facility Certified Document Category: Operating Permit - General
OP005NE	Nationally Required: No Transfer of Ownership - Newly Transferred to this Site Category: Operating Permit - General
OP005NO	Nationally Required: No Transfer of Ownership - No Longer Regulated at this Site Category: Operating Permit - General
OP010	Nationally Required: No Part B Call-In Written notification to the regulated facility by the EPA or State indicating that an Operating Part B Permit Application is required and establishing a schedule for submittal. Category: Operating Permit - General
OP011	Nationally Required: Yes BIF Pre-Compliance Certification Submitted Category: Operating Permit - Combustion
OP012	Nationally Required: No BIF Pre-Compliance Certification Review Completed Category: Operating Permit - Combustion
OP013	Nationally Required: No BIF Notification of Compliance Testing Category: Operating Permit - Combustion

LU_PERMIT_EVENT_CODE4

- OP014 Nationally Required: No
BIF Case-by-Case Compliance Extension Requested
Category: Operating Permit - Combustion
- OP016AR Nationally Required: No
BIF Case-by-Case Compliance Extension Granted - Approved Request
Category: Operating Permit - Combustion
- OP016DR Nationally Required: No
BIF Case-by-Case Compliance Extension Granted - Denied Request
Category: Operating Permit - Combustion
- OP020 Nationally Required: No
Part B Received
The receipt of Part B of the RCRA Operating Permit Application.

Category: Operating Permit - General
- OP020OR Nationally Required: Yes
Part B Received - Original Permit Application
The receipt of Part B of the RCRA Operating Permit Application.

A status code of OR should be entered to indicate original permit.

Category: Operating Permit - General
- OP020RN Nationally Required: Yes
Renewal Application Received
The receipt of Part B of the RCRA Operating Permit Application.

A status code of RN should be entered to indicate renewal.

Category: Operating Permit - General
- OP020SP Nationally Required: Yes
Standardized Permit Application Received
The receipt of Part B of the RCRA Operating Permit Application.

A status code of SP should be entered to indicate standardized permit.

LU_PERMIT_EVENT_CODE4

Category: Operating Permit - General

OP021 Nationally Required: Yes
BIF Notification of Automatic Extension
Category: Operating Permit - Combustion

OP022 Nationally Required: No
BIF Compliance Certification Submitted
Category: Operating Permit - Combustion

OP023 Nationally Required: No
BIF Compliance Certification Review Completed
Category: Operating Permit - Combustion

OP024 Nationally Required: No
BIF Compliance Extension Expires
Category: Operating Permit - Combustion

OP025CR Nationally Required: No
Confidentiality Requested
Category: Operating Permit - General

OP025CS Nationally Required: No
Confidentiality Substantiated
Category: Operating Permit - General

OP025CU Nationally Required: No
Confidentiality Unsubstantiated
Category: Operating Permit - General

OP066 Nationally Required: No
Trial Burn Plan Received
Category: Operating Permit - Combustion

OP068 Nationally Required: No
Trial Burn Plan NOD
Category: Operating Permit - Combustion

Nationally Required: No

LU_PERMIT_EVENT_CODE4

OP070	Trial Burn Plan Approved Category: Operating Permit - Combustion
OP080	Nationally Required: No Trial Burn Conducted Category: Operating Permit - Combustion
OP090	Nationally Required: No Trial Burn Results Received Category: Operating Permit - Combustion
OP092	Nationally Required: No Trial Burn Results NOD Category: Operating Permit - Combustion
OP100	Nationally Required: No Notice of Deficiency Category: Operating Permit - General
OP110	Nationally Required: No Revisions Received Category: Operating Permit - General
OP12001	Nationally Required: No Waiver Requested - Double Liner Waiver Category: Operating Permit - Waivers/Withdrawals
OP12002	Nationally Required: No Waiver Requested - Surface Impoundment Retrofit Waivers Category: Operating Permit - Waivers/Withdrawals
OP12003	Nationally Required: No Waiver Requested - Land Ban Petition Waivers Category: Operating Permit - Waivers/Withdrawals
OP12004	Nationally Required: No Waiver Requested - ACL Standards Waivers Category: Operating Permit - Waivers/Withdrawals

LU_PERMIT_EVENT_CODE4

OP12005	Nationally Required: No Waiver Requested - Secondary Containment for Tanks Waiver Category: Operating Permit - Waivers/Withdrawals
OP12006	Nationally Required: No Waiver Requested - Groundwater Monitoring Waiver Category: Operating Permit - Waivers/Withdrawals
OP14001	Nationally Required: No Waiver Request Approved - Double Liner Waiver Category: Operating Permit - Waivers/Withdrawals
OP14002	Nationally Required: No Waiver Request Approved - Surface Impoundment Retrofit Waivers Category: Operating Permit - Waivers/Withdrawals
OP14003	Nationally Required: No Waiver Request Approved - Land Ban Petition Waivers Category: Operating Permit - Waivers/Withdrawals
OP14004	Nationally Required: No Waiver Request Approved - ACL Standards Waivers Category: Operating Permit - Waivers/Withdrawals
OP14005	Nationally Required: No Waiver Request Approved - Secondary Containment for Tanks Waiver Category: Operating Permit - Waivers/Withdrawals
OP14006	Nationally Required: No Waiver Request Approved - Groundwater Monitoring Waiver Category: Operating Permit - Waivers/Withdrawals
OP14101	Nationally Required: No Waiver Request Denied - Double Liner Waiver Category: Operating Permit - Waivers/Withdrawals
OP14102	Nationally Required: No Waiver Request Denied - Surface Impoundment Retrofit Waivers Category: Operating Permit - Waivers/Withdrawals

LU_PERMIT_EVENT_CODE4

OP14103 Nationally Required: No
Waiver Request Denied - Land Ban Petition Waivers
Category: Operating Permit - Waivers/Withdrawals

OP14104 Nationally Required: No
Waiver Request Denied - ACL Standards Waivers
Category: Operating Permit - Waivers/Withdrawals

OP14105 Nationally Required: No
Waiver Request Denied - Secondary Containment for Tanks Waiver
Category: Operating Permit - Waivers/Withdrawals

OP14106 Nationally Required: No
Waiver Request Denied - Groundwater Monitoring Waiver
Category: Operating Permit - Waivers/Withdrawals

OP14201 Nationally Required: No
Waiver Request Withdrawn - Double Liner Waiver
Category: Operating Permit - Waivers/Withdrawals

OP14202 Nationally Required: No
Waiver Request Withdrawn - Surface Impoundment Retrofit Waivers
Category: Operating Permit - Waivers/Withdrawals

OP14203 Nationally Required: No
Waiver Request Withdrawn - Land Ban Petition Waivers
Category: Operating Permit - Waivers/Withdrawals

OP14204 Nationally Required: No
Waiver Request Withdrawn - ACL Standards Waivers
Category: Operating Permit - Waivers/Withdrawals

OP14205 Nationally Required: No
Waiver Request Withdrawn - Secondary Containment for Tanks Waiver
Category: Operating Permit - Waivers/Withdrawals

OP14206 Nationally Required: No
Waiver Request Withdrawn - Groundwater Monitoring Waiver

LU_PERMIT_EVENT_CODE4

Category: Operating Permit - Waivers/Withdrawals

OP150 Nationally Required: No
 Determined to be Complete - Technically Adequate
 Category: Operating Permit - General

OP160DP Nationally Required: No
 Public Notice - Draft Permit
 The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State.

A status code of DP should be entered to indicate draft permit.

Category: Operating Permit - General

OP160ID Nationally Required: Yes
 Public Notice - Intent to Deny
 The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State.

A status code of ID should be entered to indicate intent to deny.

Category: Operating Permit - General

OP160OH Nationally Required: Yes
 Permit Public Notice - Other
 The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State.

A status code of OH should be entered to indicate other.

Category: Operating Permit - General

OP170PH Nationally Required: Yes
 Public Hearing - Formal
 Category: Operating Permit - General

OP170PM Nationally Required: No
 Public Meeting
 Category: Operating Permit - General

LU_PERMIT_EVENT_CODE4

OP180DL Nationally Required: No
Received Withdrawal Request - Delisted Waste
Category: Operating Permit - Waivers/Withdrawals

OP180FC Nationally Required: No
Received Withdrawal Request - Intends/Closed All Waste Handling Facility
Category: Operating Permit - Waivers/Withdrawals

OP180FE Nationally Required: No
Received Withdrawal Request - Applicant was a Protective Filer
Category: Operating Permit - Waivers/Withdrawals

OP180LN Nationally Required: No
Received Withdrawal Request - Applicant has/will go to Less Than 90 Days Storage
Category: Operating Permit - Waivers/Withdrawals

OP180NW Nationally Required: No
Received Withdrawal Request - Applicant has/will Handle Only Non-regulated Waste
Category: Operating Permit - Waivers/Withdrawals

OP180OT Nationally Required: No
Received Withdrawal Request - Other Reason for Withdrawal
Category: Operating Permit - Waivers/Withdrawals

OP180SQ Nationally Required: No
Received Withdrawal Request - Applicant has/will SQG with Onsite Storage
Category: Operating Permit - Waivers/Withdrawals

OP190AR Nationally Required: No
Withdrawal Request Determination - Approved Request
Category: Operating Permit - Waivers/Withdrawals

OP190DR Nationally Required: No
Withdrawal Request Determination - Denied Request
Category: Operating Permit - Waivers/Withdrawals

OP200CA Nationally Required: No
Final Determination - HSWA/Corrective Action-only Permit

LU_PERMIT_EVENT_CODE4

A final determination, made by the EPA or State, to issue a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

Category: Operating Permit - General

Nationally Required: Yes
OP200PD Final Determination - Permit Denied

A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PD should be entered to indicate permit denied.

Category: Operating Permit - General

Nationally Required: Yes
OP200PG Final Determination - RCRA Permit Issued with HSWA, No Corrective Action

A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PG should be entered to indicate RCRA permit issued with HSWA, no corrective action.

Category: Operating Permit - General

Nationally Required: Yes
OP200PI Final Determination - RCRA Permit Issued, HSWA Not Applicable

A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PI should be entered to indicate RCRA permit issued, HSWA not applicable.

Category: Operating Permit - General

Nationally Required: Yes
OP200PJ Final Determination - RCRA Permit Issued with HSWA Corrective Action Scheduled

A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR

LU_PERMIT_EVENT_CODE4

124.6-18 or equivalent State requirement.

A status code of PJ should be entered to indicate RCRA permit issued with HSWA corrective action scheduled.

Category: Operating Permit - General

OP200PP Nationally Required: Yes
 Final Determination - RCRA Permit Issued, No HSWA Permit Yet
 A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PP should be entered to indicate RCRA permit issued, no HSWA permit yet.

Category: Operating Permit - General

OP200SP Nationally Required: Yes
 Final Determination - Standardized Permit
 A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of SP should be entered to indicate standardized permit.

Category: Operating Permit - General

OP205 Nationally Required: Yes
 Final Permit Effective
 The date upon which the permittee must be able to demonstrate compliance with the conditions of the final permit. The specific date will vary depending on the issuing authority. EPA-issued permits shall become effective 30 days after the service of notice of the decision (as indicated by OP200) unless: (1) a later effective date is specified in the decision; or (2) review is requested on the permit under 40 CFR 124.19 or (3) no comments requested a change in the draft permit, in which case the permit shall become effective immediately upon issuance.

Category: Operating Permit - General

OP210 Nationally Required: Yes
 Determination Appealed
 Category: Operating Permit - General

LU_PERMIT_EVENT_CODE4

OP220DI	Nationally Required: No Appeal Settled - Decision issued with No Remand Category: Operating Permit - General
OP220RC	Nationally Required: No Appeal Settled - Remand Proceedings Completed Category: Operating Permit - General
OP225	Nationally Required: No Permit Modification Call-In Category: Operating Permit - General
OP230AC	Nationally Required: No Modification Requested - Additional Capacity Category: Operating Permit - Modifications
OP230AP	Nationally Required: No Modification Requested - Additional Process Category: Operating Permit - Modifications
OP230AU	Nationally Required: No Modification Requested - Additional Unit Category: Operating Permit - Modifications
OP230BF	Nationally Required: No Modification Requested - Boiler and/or Industrial Furnace Category: Operating Permit - Modifications
OP230CA	Nationally Required: No Modification Requested - Corrective Action Modification Category: Operating Permit - Modifications
OP230CB	Nationally Required: No Modification Requested - Combustion Category: Operating Permit - Modifications
OP230GW	Nationally Required: No Modification Requested - Groundwater Monitoring Modification

LU_PERMIT_EVENT_CODE4

Category: Operating Permit - Modifications

- OP230MA Nationally Required: No
Modification Requested - MACT Compliance
Category: Operating Permit - Modifications
- OP230OH Nationally Required: No
Modification Requested - Other Modification
Category: Operating Permit - Modifications
- OP23110 Nationally Required: No
Class Determination - Class 1 Modification - No Priority
Category: Operating Permit - Modifications
- OP23111 Nationally Required: No
Class Determination - Class 1 Modification, Prior Approval Required
- OP23120 Class Determination - Class 2 Modification
Category: Operating Permit - Modifications
- OP23130 Nationally Required: No
Class Determination - Class 3 Modification
Category: Operating Permit - Modifications
- OP231AI Nationally Required: No
Class Determination - Agency Initiated Modification
Category: Operating Permit - Modifications
- OP231MJ Nationally Required: No
Class Determination - Major
For use by States not authorized for less stringent 40 CFR 270.42.

Category: Operating Permit - Modifications
- OP231MN Nationally Required: No
Class Determination - Minor
For use by States not authorized for less stringent 40 CFR 270.42.

Category: Operating Permit - Modifications
- Nationally Required: No

LU_PERMIT_EVENT_CODE4

OP232	Modification Notice of Deficiency Category: Operating Permit - Modifications
OP233	Nationally Required: No Revised Permit Modification Received Category: Operating Permit - Modifications
OP235	Nationally Required: No Permit Modification Determined Complete and Technically Adequate Category: Operating Permit - Modifications
OP236AP	Nationally Required: No Permit Modification Public Notice - Intent to Approve Category: Operating Permit - Modifications
OP236ID	Nationally Required: No Permit Modification Public Notice - Intent to Deny Category: Operating Permit - Modifications
OP237PH	Nationally Required: No Permit Modification Public Hearing Category: Operating Permit - Modifications
OP237PM	Nationally Required: No Permit Modification Public Meeting Category: Operating Permit - Modifications
OP240AC	Nationally Required: No Modification Approved - Additional Capacity Category: Operating Permit - Modifications
OP240AP	Nationally Required: No Modification Approved - Additional Process Category: Operating Permit - Modifications
OP240AU	Nationally Required: No Modification Approved - Additional Unit Category: Operating Permit - Modifications

LU_PERMIT_EVENT_CODE4

OP240CA	Nationally Required: No Modification Approved - Corrective Action Category: Operating Permit - Modifications
OP240CB	Nationally Required: No Modification Approved - Combustion Category: Operating Permit - Modifications
OP240GW	Nationally Required: No Modification Approved - Groundwater Monitoring Category: Operating Permit - Modifications
OP240MA	Nationally Required: No Modification Approved - MACT Compliance Category: Operating Permit - Modifications
OP240OH	Nationally Required: No Modification Approved - Other Modification Category: Operating Permit - Modifications
OP240RW	Nationally Required: No Modification - Request Withdrawn Category: Operating Permit - Modifications
OP241	Nationally Required: No Final Modification Effective Date Category: Operating Permit - Modifications
OP242NS	Nationally Required: No Significance Determination - Not Significant Category: Operating Permit - Modifications
OP242SI	Nationally Required: No Significance Determination - Significant Category: Operating Permit - Modifications
OP245	Nationally Required: No Modification Denied Category: Operating Permit - Modifications

LU_PERMIT_EVENT_CODE4

OP250	Nationally Required: No Permit Reviewed Category: Operating Permit - General
OP260	Nationally Required: No Permit Termination The date that EPA or State terminates the Operating permit under 40 CFR 270.43 or equivalent State authority. Category: Operating Permit - General
OP270	Nationally Required: Yes Permit Expiration Date This event refers to the last day upon which the conditions and authorizations of the RCRA Operating permit are effective. This event should be entered as a scheduled date for all issued permits that are current (i.e. have not expired). An actual date should be entered once the expiration date has passed. Category: Operating Permit - General
OP315	Nationally Required: Yes Intends to Close Permitted Units Category: Operating Permit - General
OP403MO	Nationally Required: No Application Reviewed for Completeness - Unknown Category: Operating Permit - General
OP421	Nationally Required: No Permit Revoked and Reissued Category: Operating Permit - General
OP423	Nationally Required: No Permit Transferred Category: Operating Permit - General
OP500	Nationally Required: No Combustion Risk Assessment Required Category: Operating Permit - Combustion

LU_PERMIT_EVENT_CODE4

OP501FR	Nationally Required: No Combustion Risk Assessment Plan Submitted - Full Risk Assessment Category: Operating Permit - Combustion
OP501SC	Nationally Required: No Combustion Risk Assessment Plan Submitted - Screening Risk Assessment Category: Operating Permit - Combustion
OP502	Nationally Required: No Combustion Risk Assessment Plan NOD Category: Operating Permit - Combustion
OP505	Nationally Required: No Combustion Risk Assessment Plan Approved Category: Operating Permit - Combustion
OP507FR	Nationally Required: No Combustion Risk Assessment Report Submitted - Full Risk Assessment Category: Operating Permit - Combustion
OP507SC	Nationally Required: No Combustion Risk Assessment Report Submitted - Screening Risk Assessment Category: Operating Permit - Combustion
OP508	Nationally Required: No Combustion Risk Assessment Report NOD Category: Operating Permit - Combustion
OP510	Nationally Required: No Combustion Risk Assessment Report Approved Category: Operating Permit - Combustion
OP515NO	Nationally Required: No Combustion Risk-based Permit Conditions - Conditions Not Needed Category: Operating Permit - Combustion
OP515YE	Nationally Required: No Combustion Risk-based Permit Conditions - Conditions Needed Category: Operating Permit - Combustion

LU_PERMIT_EVENT_CODE4

PC001IS	Nationally Required: No Part A Received - Initial Submittal Category: Post-Closure - General
PC001PB	Nationally Required: No Part A Received - Submitted with a Part B or Modification Request Category: Post-Closure - General
PC002AK	Nationally Required: No Part A Determination - Acknowledgement of Part A Receipt Category: Post-Closure - General
PC002AP	Nationally Required: No Part A Determination - Approval of Interim Status Change Category: Post-Closure - General
PC002DR	Nationally Required: No Part A Determination - Denied Request Category: Post-Closure - General
PC005NE	Nationally Required: No Transfer of Ownership - Newly Transferred to this Site Category: Post-Closure - General
PC005NO	Nationally Required: No Transfer of Ownership - No Longer Regulated at this Site Category: Post-Closure - General
PC010	Nationally Required: No Post-Closure/HSWA Part B Call-In Written notification to the regulated facility by the EPA or State indicating that a Post-Closure/HSWA Part B Permit Application is required and establishing a schedule for submittal. Category: Post-Closure - General
PC020OR	Nationally Required: Yes Post-Closure Part B Received - Original Permit The receipt of Part B of the RCRA Post-Closure/HSWA Permit Application.

LU_PERMIT_EVENT_CODE4

A status code of OR should be entered to indicate original permit.

Category: Post-closure - General

Nationally Required: Yes
 PC020RN Post-Closure Renewal Application Received
 The receipt of Part B of the RCRA Post-Closure/HSWA Permit Application.

A status code of RN should be entered to indicate renewal.

Category: Post-Closure - General

Nationally Required: Yes
 PC025CR Confidentiality Requested
 Category: Post-Closure - General

Nationally Required: No
 PC025CS Confidentiality Substantiated
 Category: Post-Closure - General

Nationally Required: No
 PC025CU Confidentiality Unsubstantiated
 Category: Post-Closure - General

Nationally Required: No
 PC100 Notice of Deficiency
 Category: Post-Closure - General

Nationally Required: No
 PC110 Revisions Received
 Category: Post-Closure - General

Nationally Required: No
 PC12004 Waiver Requested - ACL Standards Waivers
 Category: Post-Closure - Wiavers/Withdrawals

Nationally Required: No
 PC12006 Waiver Requested - Groundwater Monitoring Waiver
 Category: Post-Closure - Wiavers/Withdrawals

LU_PERMIT_EVENT_CODE4

PC14004	Nationally Required: No Waiver Request Approved - ACL Standards Waivers Category: Post-Closure - Waivers/Withdrawals
PC14006	Nationally Required: No Waiver Request Approved - Groundwater Monitoring Waiver Category: Post-Closure - Waivers/Withdrawals
PC14104	Nationally Required: No Waiver Request Denied - ACL Standards Waivers Category: Post-Closure - Waivers/Withdrawals
PC14106	Nationally Required: No Waiver Request Denied - Groundwater Monitoring Waiver Category: Post-Closure - Waivers/Withdrawals
PC14204	Nationally Required: No Waiver Request Withdrawn - ACL Standards Waivers Category: Post-Closure - Waivers/Withdrawals
PC14206	Nationally Required: No Waiver Request Withdrawn - Groundwater Monitoring Waiver Category: Post-Closure - Waivers/Withdrawals
PC150	Nationally Required: No Determined to be Complete and Technically Adequate Category: Post-Closure - General
PC160DP	Nationally Required: No Public Notice - Draft Permit The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State. A status code of DP should be entered to indicate draft permit. Category: Post-Closure - General
PC160ID	Nationally Required: Yes Public Notice - Intent to Deny The beginning of a public comment period where members of the public can review the permit decision and provide

LU_PERMIT_EVENT_CODE4

comments to the EPA or State.

A status code of ID should be entered to indicate intent to deny.

Category: Post-Closure - General

Nationally Required: Yes
 PC160OH Permit Public Notice - Other
 The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State.

A status code of OH should be entered to indicate other.

Category: Post-Closure - General

Nationally Required: Yes
 PC170PH Permit Public Hearing - Formal
 Category: Post-Closure - General

Nationally Required: No
 PC170PM Permit Public Meeting
 Category: Post-Closure - General

Nationally Required: No
 PC180 Received Withdrawal Request
 Category: Post-Closure - General

Nationally Required: No
 PC190AR Withdrawal Request - Approved
 Category: Post-Closure - General

Nationally Required: No
 PC190DR Withdrawal Request - Denied
 Category: Post-Closure - General

Nationally Required: No
 PC200PD Final Determination - Permit Denied
 Category: Post-Closure - General

Nationally Required: No

LU_PERMIT_EVENT_CODE4

- PC200PG** Final Determination - RCRA Permit Issued, No HSWA Corrective Action Scheduled
 A final determination, made by the EPA or State, to issue or deny a RCRA Post-Closure/HSWA permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.
- A status code of PG should be entered to indicate RCRA permit issued, no HSWA corrective action scheduled.
- Category: Post-Closure - General
- Nationally Required: Yes
- PC200PI** Final Determination - RCRA Permit Issued, HSWA Not Applicable
 A final determination, made by the EPA or State, to issue or deny a RCRA Post-Closure/HSWA permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.
- A status code of PI should be entered to indicate RCRA permit issued, HSWA not applicable.
- Category: Post-Closure - General
- Nationally Required: Yes
- PC200PJ** Final Determination - RCRA Permit Issued with HSWA Corrective Action Scheduled
 A final determination, made by the EPA or State, to issue or deny a RCRA Post-Closure/HSWA permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.
- A status code of PJ should be entered to indicate RCRA permit issued with HSWA corrective action scheduled.
- Category: Post-Closure - General
- Nationally Required: Yes
- PC200PP** Final Determination - RCRA Permit Issued, No HSWA Permit Yet
 A final determination, made by the EPA or State, to issue or deny a RCRA Post-Closure/HSWA permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.
- A status code of PP should be entered to indicate RCRA permit issued, no HSWA permit yet.
- Category: Post-Closure - General
- Nationally Required: Yes

LU_PERMIT_EVENT_CODE4

PC205	<p>Final Permit Effective</p> <p>The date upon which the permittee must be able to demonstrate compliance with the conditions of the final permit. The specific date will vary depending on the issuing authority. EPA-issued permits shall become effective 30 days after the service of notice of the decision (as indicated by OP200) unless: (1) a later effective date is specified in the decision; or (2) review is requested on the permit under 40 CFR 124.19 or (3) no comments requested a change in the draft permit, in which case the permit shall become effective immediately upon issuance.</p> <p>Category: Post-Closure - General</p> <p>Nationally Required: Yes</p>
PC210	<p>Determination Appealed</p> <p>Category: Post-Closure - General</p> <p>Nationally Required: No</p>
PC220DI	<p>Appeal Settled - Decision Issued with No Remand</p> <p>Category: Post-Closure - General</p> <p>Nationally Required: No</p>
PC220RC	<p>Appeal Settled - Remand Proceedings Completed</p> <p>Category: Post-Closure - General</p> <p>Nationally Required: No</p>
PC225	<p>Post-Closure Permit Modification Call-In</p> <p>Category: Post-Closure - Modifications</p> <p>Nationally Required: No</p>
PC230AU	<p>Modification Request Received - Additional Unit</p> <p>Category: Post-Closure - Modifications</p> <p>Nationally Required: No</p>
PC230CA	<p>Modification Request Received - Corrective Action</p> <p>Category: Post-Closure - Modifications</p> <p>Nationally Required: No</p>

LU_PERMIT_EVENT_CODE4

PC230GW	Modification Request Received - Groundwater Monitoring Modification Category: Post-Closure - Modifications Nationally Required: No
PC230OH	Modification Request Received - Modification Other Than Additional Capacity, Corrective Action, or Groundwater Monitoring Category: Post-Closure - Modifications Nationally Required: No
PC23110	Class Determination - Class 1 Modification, No Prior Approval Required Category: Post-Closure - Modifications Nationally Required: No
PC23111	Class Determination - Class 1 Modification, Prior Approval Required Category: Post-Closure - Modifications Nationally Required: No
PC23120	Class Determination - Class 2 Modification Category: Post-Closure - Modifications Nationally Required: No
PC23130	Class Determination - Class 3 Modification Category: Post-Closure - Modifications Nationally Required: No
PC231AI	Class Determination - Agency Initiated Modification Category: Post-Closure - Modifications Nationally Required: No
PC231MJ	Class Determination - Major For use by States not authorized for less stringent 40 CFR 270.42. Category: Post-Closure - Modifications

LU_PERMIT_EVENT_CODE4

PC231MN	Nationally Required: No Class Determination - Minor For use by States not authorized for less stringent 40 CFR 270.42. Category: Post-Closure - Modifications
PC232	Nationally Required: No Modification Notice of Deficiency Category: Post-Closure - Modifications Nationally Required: No
PC233	Revised Permit Modification Received Category: Post-Closure - Modifications Nationally Required: No
PC235	Permit Modification Determined Complete and Technically Adequate Category: Post-Closure - Modifications Nationally Required: No
PC236AP	Permit Modification Public Notice - Intent to Approve Category: Post-Closure - Modifications Nationally Required: No
PC236ID	Permit Modification Public Notice - Intent to Deny Category: Post-Closure - Modifications Nationally Required: No
PC237PH	Permit Modification Public Hearing - Formal Category: Post-Closure - Modifications Nationally Required: No
PC237PM	Permit Modification Public Meeting Category: Post-Closure - Modifications

LU_PERMIT_EVENT_CODE4

Nationally Required: No

PC240AU Modification Approved - Additional Unit
Category: Post-Closure - Modifications

Nationally Required: No

PC240CA Modification Approved - Corrective Action
Category: Post-Closure - Modifications

Nationally Required: No

PC240GW Modification Approved - Groundwater Monitoring Modification
Category: Post-Closure - Modifications

Nationally Required: No

PC240OH Modification Approved - Modification Other Than Additional Capacity, Corrective Action, or Groundwater Monitoring
Category: Post-Closure - Modifications

Nationally Required: No

PC240RW Modification Approved - Request Withdrawn
Category: Post-Closure - Modifications

Nationally Required: No

PC245 Modification Denied
Category: Post-Closure - Modifications

PC250 Nationally Required: No
Permit Reviewed
Category: Post-Closure - General

Nationally Required: No

PC260 Permit Termination
The date that EPA or State terminates the Post-Closure/HSWA permit under 40 CFR 270.43 or equivalent State authority.
Category: Post-Closure - General

LU_PERMIT_EVENT_CODE4

PC270	<p>Nationally Required: Yes Permit Expiration Date</p> <p>This event refers to the last day upon which the conditions and authorizations of the RCRA Post-Closure/HSWA permit are effective.</p> <p>This event should be entered as a scheduled date for all issued permits that are current (i.e. have not expired). An actual date should be entered once the expiration date has passed.</p> <p>Category: Post-Closure - General</p>
PC300	<p>Nationally Required: Yes Post-Closure Enforceable Document Effective</p> <p>The date that an enforceable post-closure document (e.g. an order) has been established in lieu of a post-closure permit in accordance with 40 CFR 270.1(c)(7).</p> <p>Category: Post-Closure - Alternative Authority</p>
PC310	<p>Nationally Required: Yes Post-Closure Plan Received</p> <p>The receipt by the EPA or State of a post-closure plan provided by the regulated facility.</p> <p>Category: Post-Closure - Alternative Authority</p>
PC320	<p>Nationally Required: Yes NOD - Post-Closure Plan</p> <p>Category: Post-Closure - Alternative Authority</p>
PC330	<p>Nationally Required: No Revisions Received - Post-Closure</p> <p>Category: Post-Closure - Alternative Authority</p>
PC340	<p>Nationally Required: No Public Notice - Post-Closure Plan</p> <p>Category: Post-Closure - Alternative Authority</p>
PC350	<p>Nationally Required: No Public Hearing - Post-Closure Plan</p> <p>Category: Post-Closure - Alternative Authority</p>

LU_PERMIT_EVENT_CODE4

PC350PH	Nationally Required: No Public Hearing - Formal - Post-Closure Plan Category: Post-Closure - Alternative Authority
PC350PM	Nationally Required: No Public Meeting - Post-Closure Plan Category: Post-Closure - Alternative Authority
PC360ME	Nationally Required: No Post-Closure Plan Approved - Final Post-Closure The issuance of written correspondence to the regulated facility indicating that the post-closure plan has been approved by the EPA or State for implementation. A status code of ME should be entered to indicate final post-closure. Category: Post-Closure - Alternative Authority
PC360MO	Nationally Required: Yes Post-Closure Plan Approved - Partial Post-Closure The issuance of written correspondence to the regulated facility indicating that the post-closure plan has been approved by the EPA or State for implementation. A status code of MO should be entered to indicate partial post-closure. Category: Post-Closure - Alternative Authority
PC362	Nationally Required: Yes Post-Closure Plan Modification Request Received Category: Post-Closure - Modifications
PC364	Nationally Required: No Post-Closure Plan Modification Determination - Approved Category: Post-Closure - Modifications
PC366	Nationally Required: No Post-Closure Plan Modification Determination - Denied Category: Post-Closure - Modifications
PC370	Nationally Required: No Post-Closure Certification Received

LU_PERMIT_EVENT_CODE4

The receipt of a certification by the owner or operator that the post-closure care period for one or more hazardous waste disposal units was performed in accordance with the specifications in the approved post-closure plan. The certification must be signed by the owner or operator and an independent registered professional engineer (40 CFR 264/265.120).

Category: Post-Closure - Alternative Authority

Nationally Required: Yes
PC380DA Post-Closure Verification - Acceptable

Verification by the EPA or State, through the review of data, site records, certifications, and/or visual inspection, of whether the post-closure care period has been completed satisfactorily.

A status code of DA should be entered to indicate acceptable.

Category: Post-Closure - Alternative Authority

Nationally Required: Yes
PC380DU Post-Closure Verification - Unacceptable

Verification by the EPA or State, through the review of data, site records, certifications, and/or visual inspection, of whether the post-closure care period has been completed satisfactorily.

A status code of DU should be entered to indicate unacceptable.

Category: Post-Closure - Alternative Authority

Nationally Required: Yes
PC403CO Application Reviewed for Completeness - Complete
Category: Post-Closure - Alternative Authority

Nationally Required: No
PC403IN Application Reviewed for Completeness - Incomplete
Category: Post-Closure - Alternative Authority

Nationally Required: No
PC414 Facility Released from Post-Closure Financial Assurance Requirement
Category: Post-Closure - Alternative Authority

Nationally Required: No
RD010 Part B Call-In
Category: RD&D Permits - General

LU_PERMIT_EVENT_CODE4

RD020	Nationally Required: No Part B Received Category: RD&D Permits - General
RD020RC	Nationally Required: No Part B Received - Renewal Referencing Original Part B with Updates Category: RD&D Permits - General
RD020RN	Nationally Required: No Part B Received - Renewal Category: RD&D Permits - General
RD025CR	Nationally Required: No Confidentiality Requested Category: RD&D Permits - General
RD025CS	Nationally Required: No Confidentiality Substantiated Category: RD&D Permits - General
RD025CU	Nationally Required: No Confidentiality Unsubstantiated Category: RD&D Permits - General
RD066	Nationally Required: No Trial Burn Plan Submitted Category: RD&D Permits - General
RD068	Nationally Required: No Trial Burn Plan Reviewed Category: RD&D Permits - General
RD070	Nationally Required: No Trial Burn Plan Approved Category: RD&D Permits - General
RD080	Nationally Required: No Trial Burn Conducted Category: RD&D Permits - General

LU_PERMIT_EVENT_CODE4

RD090	Nationally Required: No Trial Burn Results Received Category: RD&D Permits - General
RD092	Nationally Required: No Trial Burn Results Review Completed Category: RD&D Permits - General
RD100	Nationally Required: No Notice of Deficiency Category: RD&D Permits - General
RD110	Nationally Required: No Revisions Received Category: RD&D Permits - General
RD150	Nationally Required: No Determined to be Complete and Technically Adequate Category: RD&D Permits - General
RD160DP	Nationally Required: No Public Notice - Draft Permit Issued Category: RD&D Permits - General
RD160ID	Nationally Required: No Public Notice - Intent to Deny Category: RD&D Permits - General
RD170PH	Nationally Required: No Public Hearing - Formal Category: RD&D Permits - General
RD170PM	Nationally Required: No Public Meeting Category: RD&D Permits - General
RD180	Nationally Required: No Received Withdrawal Request

LU_PERMIT_EVENT_CODE4

Category: RD&D Permits - General

RD190AR Nationally Required: No
Withdrawal Request Determination - Approved Request
Category: RD&D Permits - General

RD190DR Nationally Required: No
Withdrawal Request Determination - Denied Request
Category: RD&D Permits - Withdrawals

RD200PD Nationally Required: No
Final Determination - Permit Denied
Category: RD&D Permits - Withdrawals

RD200PI Nationally Required: No
Final Determination - RCRA Permit Issued
Category: RD&D Permits - Withdrawals

RD205 Nationally Required: No
Final Permit Effective
Category: RD&D Permits - Withdrawals

RD210 Nationally Required: No
Determination Appealed
Category: RD&D Permits - General

RD220 Nationally Required: No
Appeal Settled
Category: RD&D Permits - General

RD230AC Nationally Required: No
Modification Requested - Additional Capacity
Category: RD&D Permits - Modifications

RD230AP Nationally Required: No
Modification Requested - Additional Process
Category: RD&D Permits - Modifications

RD230GW Nationally Required: No
Modification Request - Groundwater Monitoring Modification

LU_PERMIT_EVENT_CODE4

	Category: RD&D Permits - Modifications
RD230OH	Nationally Required: No Modification Requested - Modification Other Than Additional Capacity, Corrective Action, or Groundwater Monitoring Category: RD&D Permits - Modifications
RD232	Nationally Required: No Modification Notice of Deficiency Category: RD&D Permits - Modifications
RD233	Nationally Required: No Revised Permit Modification Received Category: RD&D Permits - Modifications
RD235	Nationally Required: No Permit Modification Determined Complete and Technically Adequate Category: RD&D Permits - Modifications
RD236	Nationally Required: No Permit Modification Public Notice Category: RD&D Permits - Modifications
RD237	Nationally Required: No Permit Modification Public Hearing Category: RD&D Permits - Modifications
RD240GW	Nationally Required: No Modification Approved - Groundwater Monitoring Modification Category: RD&D Permits - Modifications
RD240OH	Nationally Required: No Modification Determination - Modification Other Than Additional Capacity, Corrective Action, or Groundwater Monitoring Category: RD&D Permits - Modifications
RD240RW	Nationally Required: No Modification Determination - Request Withdrawn Category: RD&D Permits - Modifications
RD245	Nationally Required: No Modification Denied

LU_PERMIT_EVENT_CODE4

OPC	Operating Permit - Combustion
OPG	Operating Permit - General
OPM	Operating Permit - Modifications
OPW	Operating Permit - Waivers/Withdrawals
PCA	Post-Closure - Alternative Authority
PCG	Post-Closure - General
PCM	Post-Closure - Modifications
PCW	Post-Closure - Waivers/Withdrawals
RDG	RD&D Permits - General
RDM	RD&D Permits - Modifications
RDW	RD&D Permits - Withdrawals

Default Value

English Name	Event Code Active Status
Oracle Name	ACTIVE_STATUS
Description	Indicates whether the Event Code is currently applicable.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	Y
Notes	Inactive codes (ACTIVE_STATUS = "N") are retained in the lookup table for historical purposes.

English Name	Event Code Usage
Oracle Name	USAGE
Description	Indicates who defined the data, if the data is required, and if the data may be released to the public.
Data Type and Length	CHAR (1)
Allowed Values	1 Nationally-defined Nationally-required Routinely-released 2 Nationally-defined Nationally-required Not routinely-released 3 Nationally-defined Not nationally-required Routinely-released 4 Nationally-defined Not nationally-required Not routinely-released

LU_PERMIT_EVENT_CODE4

5	Implementer-defined Nationally-required Routinely-released
6	Implementer-defined Nationally-required Routinely-released
7	Implementer-defined Not nationally-required Routinely-released
8	Implementer-defined Not nationally-required Not routinely-released

Default Value**Notes**

Usage types 1 through 4 apply only to HQ-owned codes.
Usage types 5 through 8 apply only to implementer-owned codes.

English Name	User ID of Last Change
Oracle Name	USERID
Description	Records the user ID of the last person to change the data.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Valid user ID
Default Value	Current user ID

English Name	Date of Last Change
Oracle Name	LAST_CHANGE
Description	Records the date that the data was last changed.
Data Type and Length	DATE
Allowed Values	Valid date/time stamp
Default Value	Current date and time

English Name	Help Notes
Oracle Name	HELP_NOTES
Description	Additional information regarding the Permit Event Code.
Data Type and Length	VARCHAR2 (240)
Allowed Values	Any value blank Not provided
Default Value	blank

*** End of Report ***