

---

## LU\_RELATIONSHIP

---

<b>English Name</b>	Relationship Owner ( <b>Primary Key</b> )
<b>Oracle Name</b>	OWNER
<b>Description</b>	Indicates the agency that defines the relationship type.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	
<b>Default Value</b>	
<b>English Name</b>	Relationship ( <b>Primary Key</b> )
<b>Oracle Name</b>	RELATIONSHIP
<b>Description</b>	The relationship between the other ID and the handler ID.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	Any non-blank value not already defined. Note: Implementers should not re-use codes that have been nationally defined (either HQ or US).
<b>Defined Values</b>	Existing Nationally Defined Values:
C	Converted from Second ID Converted from HHANDLER2.SECOND_ID for site being reported. (Prior to conversion on 03/02/2007).
F	Site Fragment ID of fragment that split from site being reported.
G	ID Before Site Fragment ID of more extensive site from which site being reported split.
J	Joined Site ID of site formed when ID being reported and other contiguous site(s) joined.
K	ID Before Sites Joined ID of one of several smaller contiguous sites that joined to form site being reported.
N	Concurrent Ownership Additinal ID intentionally issued to the site being reported for the same ownership and time interval.
O	Other ID used at site (no further details available).
P	Previous Id ID used at site being reported and is not longer used.
S	State ID ID issued to site by State and may still be used by State.
T	Redundant State Id ID issued to site by State and is no longer used.
Y	Became Brownfields ID issued when site being reported became a Brownfields site.
Z	Pre-Brownfields ID used before site being reported became a Brownfields site.

---

## LU\_RELATIONSHIP

---

**Default Value****English Name** Relationship Usage**Oracle Name** USAGE**Description****Data Type and Length** CHAR (1)**Allowed Values**

1	Nationally defined Nationally required Routinely released
2	Nationally defined Nationally required Not routinely released
3	Nationally defined Not nationally required Routinely released
4	Nationally defined Not nationally required Not routinely released
5	Implementer defined Nationally required Routinely released
6	Implementer defined Nationally required Routinely released
7	Implementer defined Not nationally required Routinely released
8	Implementer defined Not nationally required Not routinely released

**Default Value****Notes**

Usage types 1 and 2 apply only to HQ-owned codes.  
 Usage types 3 and 4 apply only to US-owned codes.  
 Usage types 5 through 8 apply only to implementer-owned codes.

---

## LU\_RELATIONSHIP

---

**English Name** Relationship Active Status  
**Oracle Name** ACTIVE\_STATUS  
**Description** Indicates whether the relationship is currently applicable  
**Data Type and Length** CHAR (1)  
**Allowed Values** N No  
Y Yes  
**Default Value**  
**Notes** Inactive codes (ACTIVE\_STATUS = "N") are retained in the lookup table for historical purposes.

---

**English Name** Relationship Description  
**Oracle Name** DESCRIPTION  
**Description** English description of the Relationship.  
**Data Type and Length** VARCHAR2 (240)  
**Allowed Values** Any value  
**Default Value**

---

**English Name** User ID of Last Change  
**Oracle Name** USERID  
**Description** Records the user ID of the last person to change the data.  
**Data Type and Length** VARCHAR2 (6)  
**Allowed Values** Valid User ID  
**Default Value** Current User ID

---

**English Name** Date of Last Change  
**Oracle Name** LAST\_CHANGE  
**Description** Records the date that the data was last changed.  
**Data Type and Length** DATE  
**Allowed Values** Valid date/time stamp  
**Default Value** Current date and time

---

## LU\_RELATIONSHIP

---

<b>English Name</b>	Help Notes
<b>Oracle Name</b>	HELP_NOTES
<b>Description</b>	Additional information regarding the other permit type.
<b>Data Type and Length</b>	VARCHAR2 (240)
<b>Allowed Values</b>	
<b>Default Value</b>	

**\* End of Report \***