

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

<b>English Name</b>	Event Handler ID <b>(Primary Key)</b>
<b>Oracle Name</b>	EVENT_HANDLER_ID
<b>Description</b>	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
<b>Data Type and Length</b>	VARCHAR2 (12)
<b>Allowed Values</b>	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
<b>Default Value</b>	
<b>Notes</b>	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.

---

<b>English Name</b>	Series Sequence Number <b>(Primary Key)</b>
<b>Oracle Name</b>	EVENT_SERIES_SEQ
<b>Description</b>	System-generated value used to uniquely identify a permit series.
<b>Data Type and Length</b>	NUMBER (4.0)
<b>Allowed Values</b>	1 - 9,999
<b>Default Value</b>	Next sequential number

---

<b>English Name</b>	Permit Event Activity Location <b>(Primary Key)</b>
<b>Oracle Name</b>	EVENT_ACTIVITY_LOCATION
<b>Description</b>	Indicates the location of the agency regulating the activity.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	State postal code
<b>Default Value</b>	Location of the current user ID
<b>Notes</b>	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.

---

<b>English Name</b>	Event Sequence Number <b>(Primary Key)</b>
<b>Oracle Name</b>	EVENT_SEQ
<b>Description</b>	System-generated value used to uniquely identify a permit event.
<b>Data Type and Length</b>	NUMBER (3.0)
<b>Allowed Values</b>	1 - 999
<b>Default Value</b>	Next sequential number

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

**English Name** Event Agency **(Primary Key)**  
**Oracle Name** EVENT\_AGENCY  
**Description** Code indicating the agency responsible for conducting a specific permitting/closure program event.  
**Data Type and Length** CHAR (1)  
**Allowed Values** E EPA  
J Joint  
S State  
**Default Value**

---

**English Name** Event Code Owner **(Primary Key)**  
**Oracle Name** EVENT\_OWNER  
**Description** Indicates the agency that defined the Event Code.  
**Data Type and Length** CHAR (2)  
**Allowed Values** 01 - 10 Region  
HQ Nationally defined  
State postal code  
**Default Value**

---

**English Name** Event Code **(Primary Key)**  
**Oracle Name** EVENT\_CODE  
**Description** Code used to indicate a specific permitting/closure program event and status that has actually occurred or is scheduled to occur.  
**Data Type and Length** VARCHAR2 (7)  
**Allowed Values** Nationally- or implementer-defined value in LU\_PERMIT\_EVENT\_CODE4.

Existing nationally-defined values:

CL005NE Transfer of Ownership - Newly Transferred to this Site  
Category: Closure - General

Nationally Required: No  
CL005NO Transfer of Ownership - No Longer Regulated at this Site  
Category: Closure - General

Nationally Required: No  
CL310 Plan Received - Closure  
The receipt of a closure plan required pursuant to 40 CFR 264/265 Subpart G or equivalent State requirements.  
Category: Closure - General

Nationally Required: Yes  
CL315 Intends to Seek Permit

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

	Category: Closure - General
CL320	Nationally Required: No Closure Plan NOD Category: Closure - General
CL330	Nationally Required: No Revisions Received - Closure Category: Closure - General
CL340	Nationally Required: No Public Notice - Closure Category: Closure - General
CL350PH	Nationally Required: No Public Hearing - Formal - Closure Category: Closure - General
CL350PM	Nationally Required: No Public Meeting - Closure Category: Closure - General
CL360ME	Nationally Required: No Closure Plan Approved - Final Closure Category: Closure - General
CL360MO	Nationally Required: No Closure Plan Approved - Partial Closure This issuance of written correspondence to the regulated facility indicating that the closure plan has been approved by the EPA or State for implementation.
	A status code of MO should be entered to indicate partial closure.
	Category: Closure - General
CL362	Nationally Required: Yes Modification Requested Category: Closure - General
CL363	Nationally Required: Yes Modification Public Notice

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

	Category: Closure - General
CL364	Nationally Required: Yes Modification Determination - Approved Category: Closure - General
CL365	Nationally Required: No Modification Request Withdrawn Category: Closure - General
CL366	Nationally Required: No Modification Determination - Denied Category: Closure - General
CL370	Nationally Required: No Receive Closure Certification The receipt by the EPA or State of written certification required by 40 CFR 264/265.115 or equivalent State requirements.
	Category: Closure - General
CL372CA	Nationally Required: Yes Review Closure Certification Acceptable Category: Closure - General
CL372CU	Nationally Required: No Review Closure Certification Unacceptable Category: Closure - General
CL380CA	Nationally Required: No Closure Verification - Clean Closure Acceptable Verification by the EPA or State, through the review of data, site records, certification,s and/or visual inspection, of whether the closure has been completed satisfactorily.
	A status code of CA should be entered when clean closure is acceptable.
	Category: Closure - General
CL380CU	Nationally Required: Yes Closure Verification - Clean Closure Unacceptable Verification by the EPA or State, through the review of data, site records, certification,s and/or visual inspection, of whether the closure has been completed satisfactorily.

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

A status code of CU should be entered when clean closure is unacceptable.

Category: Closure - General

Nationally Required: Yes  
 CL380DA Closure Verification - Waste In-Place Closure Acceptable  
 Verification by the EPA or State, through the review of data, site records, certification,s and/or visual inspection, of whether the closure has been completed satisfactorily.

A status code of DA should be entered when waste in-place closure is acceptable.

Category: Closure - General

Nationally Required: Yes  
 CL380DU Closure Verification - Waste In-Place Closure Unacceptable  
 Verification by the EPA or State, through the review of data, site records, certification,s and/or visual inspection, of whether the closure has been completed satisfactorily.

A status code of DU should be entered when waste in-place closure is unacceptable.

Category: Closure - General

Nationally Required: Yes  
 CL390 Notice of Deed Registry Received  
 Category: Closure - General

Nationally Required: No  
 CL395EQ Equivalency Determination - Clean Closure Meets 40 CFR 264 Standard  
 Category: Closure - General

Nationally Required: No  
 CL395NE Equivalency Determination - Clean Closure Does Not Meet 40 CFR 264 Standard  
 Category: Closure - General

Nationally Required: No  
 CL404 Review of Closure Plan Completed  
 Category: Closure - General

Nationally Required: No  
 CL411 Closure Process Begun According to Plan

---

**PLN\_EVENT\_UNIT\_DETAIL4**

---

	Category: Closure - General
CL411NO	Nationally Required: No Closure Process Begun - Not According to Plan Category: Closure - General
CL413	Nationally Required: No Closure Period Completed Category: Closure - General
CL414	Nationally Required: No Facility Released From Closure Financial Assurance Requirement Category: Closure - General
EP010	Nationally Required: No Emergency Permit Request Call-In Category: Emergency Permit - General
EP020	Nationally Required: No Emergency Permit Request Received Category: Emergency Permit - General
EP025CR	Nationally Required: No Confidentiality Requested Category: Emergency Permit - General
EP025CS	Nationally Required: No Confidentiality Substantiated Category: Emergency Permit - General
EP025CU	Nationally Required: No Confidentiality Unsubstantiated Category: Emergency Permit - General
EP100	Nationally Required: No Notice of Deficiency Category: Emergency Permit - General
EP110	Nationally Required: No Revisions Received Category: Emergency Permit - General

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

EP150	Nationally Required: No Determined to be Complete and Technically Adequate Category: Emergency Permit - General
EP155	Nationally Required: No Emergency Permit Oral Approval Category: Emergency Permit - General
EP160DP	Nationally Required: No Public Notice-Draft Permit Category: Emergency Permit - General
EP160ID	Nationally Required: No Public Notice-Intent to Deny Category: Emergency Permit - General
EP170PH	Nationally Required: No Public Hearing - Formal Category: Emergency Permit - General
EP170PM	Nationally Required: No Public Meeting Category: Emergency Permit - General
EP180	Nationally Required: No Received Withdrawal Request Category: Emergency Permit - General
EP190	Nationally Required: No Withdrawal Request Approved Category: Emergency Permit - General
EP200PD	Nationally Required: No Emergency Permit Final Determination - Permit Denied Category: Emergency Permit - General
EP200PI	Nationally Required: No Emergency Permit Final Determination - RCRA Permit Issued Category: Emergency Permit - General

---

**PLN\_EVENT\_UNIT\_DETAIL4**

---

EP205	Nationally Required: No Emergency Permit Effective Category: Emergency Permit - General
EP260	Nationally Required: No Permit Termination Category: Emergency Permit - General
EP270	Nationally Required: No Permit Expires Category: Emergency Permit - General
EP370	Nationally Required: No Receive Closure Certification Category: Emergency Permit - General
EP380CA	Nationally Required: No Closure Verification - Clean Closure Acceptable Category: Emergency Permit - General
OP001CS	Nationally Required: No Part A Received - Request for Change Under Interim Status Category: Operating Permit - General
OP001IS	Nationally Required: No Part A Received - Initial Submittal Category: Operating Permit - General
OP001PB	Nationally Required: No Part A Received - Submitted with a Part B or Modification Request Category: Operating Permit - General
OP002AK	Nationally Required: No Part A Determination - Acknowledgement of Part A Receipt Category: Operating Permit - General
OP002AP	Nationally Required: No Part A Determination - Approval of Interim Status Change Category: Operating Permit - General
	Nationally Required: No

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

OP002DR	Part A Determination - Denied Request Category: Operating Permit - General
	Nationally Required: No
OP002VE	Part A Determination - Verified by Inspection to Exist Category: Operating Permit - General
	Nationally Required: No
OP003AD	Process Determination - Agency (State or EPA) Determination Category: Operating Permit - General
	Nationally Required: No
OP003FD	Process Determination - Facility Certified Document Category: Operating Permit - General
	Nationally Required: No
OP005NE	Transfer of Ownership - Newly Transferred to this Site Category: Operating Permit - General
	Nationally Required: No
OP005NO	Transfer of Ownership - No Longer Regulated at this Site Category: Operating Permit - General
	Nationally Required: No
OP010	Part B Call-In Written notification to the regulated facility by the EPA or State indicating that an Operating Part B Permit Application is required and establishing a schedule for submittal. Category: Operating Permit - General
	Nationally Required: Yes
OP011	BIF Pre-Compliance Certification Submitted Category: Operating Permit - Combustion
	Nationally Required: No
OP012	BIF Pre-Compliance Certification Review Completed Category: Operating Permit - Combustion
	Nationally Required: No
OP013	BIF Notification of Compliance Testing Category: Operating Permit - Combustion

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

- OP014      Nationally Required: No  
BIF Case-by-Case Compliance Extension Requested  
Category: Operating Permit - Combustion
- OP016AR    Nationally Required: No  
BIF Case-by-Case Compliance Extension Granted - Approved Request  
Category: Operating Permit - Combustion
- OP016DR    Nationally Required: No  
BIF Case-by-Case Compliance Extension Granted - Denied Request  
Category: Operating Permit - Combustion
- OP020      Nationally Required: No  
Part B Received  
The receipt of Part B of the RCRA Operating Permit Application.  
  
Category: Operating Permit - General
- OP020OR    Nationally Required: Yes  
Part B Received - Original Permit Application  
The receipt of Part B of the RCRA Operating Permit Application.  
  
A status code of OR should be entered to indicate original permit.  
  
Category: Operating Permit - General
- OP020RN    Nationally Required: Yes  
Renewal Application Received  
The receipt of Part B of the RCRA Operating Permit Application.  
  
A status code of RN should be entered to indicate renewal.  
  
Category: Operating Permit - General
- OP020SP    Nationally Required: Yes  
Standardized Permit Application Received  
The receipt of Part B of the RCRA Operating Permit Application.  
  
A status code of SP should be entered to indicate standardized permit.

---

**PLN\_EVENT\_UNIT\_DETAIL4**

---

	Category: Operating Permit - General
OP021	Nationally Required: Yes BIF Notification of Automatic Extension Category: Operating Permit - Combustion
OP022	Nationally Required: No BIF Compliance Certification Submitted Category: Operating Permit - Combustion
OP023	Nationally Required: No BIF Compliance Certification Review Completed Category: Operating Permit - Combustion
OP024	Nationally Required: No BIF Compliance Extension Expires Category: Operating Permit - Combustion
OP025CR	Nationally Required: No Confidentiality Requested Category: Operating Permit - General
OP025CS	Nationally Required: No Confidentiality Substantiated Category: Operating Permit - General
OP025CU	Nationally Required: No Confidentiality Unsubstantiated Category: Operating Permit - General
OP066	Nationally Required: No Trial Burn Plan Received Category: Operating Permit - Combustion
OP068	Nationally Required: No Trial Burn Plan NOD Category: Operating Permit - Combustion
OP070	Nationally Required: No Trial Burn Plan Approved Category: Operating Permit - Combustion

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

OP080	Nationally Required: No Trial Burn Conducted Category: Operating Permit - Combustion
OP090	Nationally Required: No Trial Burn Results Received Category: Operating Permit - Combustion
OP092	Nationally Required: No Trial Burn Results NOD Category: Operating Permit - Combustion
OP100	Nationally Required: No Notice of Deficiency Category: Operating Permit - General
OP110	Nationally Required: No Revisions Received Category: Operating Permit - General
OP12001	Nationally Required: No Waiver Requested - Double Liner Waiver Category: Operating Permit - Waivers/Withdrawals
OP12002	Nationally Required: No Waiver Requested - Surface Impoundment Retrofit Waivers Category: Operating Permit - Waivers/Withdrawals
OP12003	Nationally Required: No Waiver Requested - Land Ban Petition Waivers Category: Operating Permit - Waivers/Withdrawals
OP12004	Nationally Required: No Waiver Requested - ACL Standards Waivers Category: Operating Permit - Waivers/Withdrawals
OP12005	Nationally Required: No Waiver Requested - Secondary Containment for Tanks Waiver Category: Operating Permit - Waivers/Withdrawals

---

**PLN\_EVENT\_UNIT\_DETAIL4**

---

OP12006 Nationally Required: No  
Waiver Requested - Groundwater Monitoring Waiver  
Category: Operating Permit - Waivers/Withdrawals

OP14001 Nationally Required: No  
Waiver Request Approved - Double Liner Waiver  
Category: Operating Permit - Waivers/Withdrawals

OP14002 Nationally Required: No  
Waiver Request Approved - Surface Impoundment Retrofit Waivers  
Category: Operating Permit - Waivers/Withdrawals

OP14003 Nationally Required: No  
Waiver Request Approved - Land Ban Petition Waivers  
Category: Operating Permit - Waivers/Withdrawals

OP14004 Nationally Required: No  
Waiver Request Approved - ACL Standards Waivers  
Category: Operating Permit - Waivers/Withdrawals

OP14005 Nationally Required: No  
Waiver Request Approved - Secondary Containment for Tanks Waiver  
Category: Operating Permit - Waivers/Withdrawals

OP14006 Nationally Required: No  
Waiver Request Approved - Groundwater Monitoring Waiver  
Category: Operating Permit - Waivers/Withdrawals

OP14101 Nationally Required: No  
Waiver Request Denied - Double Liner Waiver  
Category: Operating Permit - Waivers/Withdrawals

OP14102 Nationally Required: No  
Waiver Request Denied - Surface Impoundment Retrofit Waivers  
Category: Operating Permit - Waivers/Withdrawals

OP14103 Nationally Required: No  
Waiver Request Denied - Land Ban Petition Waivers  
Category: Operating Permit - Waivers/Withdrawals

Nationally Required: No

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

OP14104	Waiver Request Denied - ACL Standards Waivers Category: Operating Permit - Waivers/Withdrawals
	Nationally Required: No
OP14105	Waiver Request Denied - Secondary Containment for Tanks Waiver Category: Operating Permit - Waivers/Withdrawals
	Nationally Required: No
OP14106	Waiver Request Denied - Groundwater Monitoring Waiver Category: Operating Permit - Waivers/Withdrawals
	Nationally Required: No
OP14201	Waiver Request Withdrawn - Double Liner Waiver Category: Operating Permit - Waivers/Withdrawals
	Nationally Required: No
OP14202	Waiver Request Withdrawn - Surface Impoundment Retrofit Waivers Category: Operating Permit - Waivers/Withdrawals
	Nationally Required: No
OP14203	Waiver Request Withdrawn - Land Ban Petition Waivers Category: Operating Permit - Waivers/Withdrawals
	Nationally Required: No
OP14204	Waiver Request Withdrawn - ACL Standards Waivers Category: Operating Permit - Waivers/Withdrawals
	Nationally Required: No
OP14205	Waiver Request Withdrawn - Secondary Containment for Tanks Waiver Category: Operating Permit - Waivers/Withdrawals
	Nationally Required: No
OP14206	Waiver Request Withdrawn - Groundwater Monitoring Waiver Category: Operating Permit - Waivers/Withdrawals
	Nationally Required: No
OP150	Determined to be Complete - Technically Adequate Category: Operating Permit - General
	Nationally Required: No
OP160DP	Public Notice - Draft Permit

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State.

A status code of DP should be entered to indicate draft permit.

Category: Operating Permit - General

OP160ID Nationally Required: Yes  
Public Notice - Intent to Deny  
The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State.

A status code of ID should be entered to indicate intent to deny.

Category: Operating Permit - General

OP160OH Nationally Required: Yes  
Permit Public Notice - Other  
The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State.

A status code of OH should be entered to indicate other.

Category: Operating Permit - General

OP170PH Nationally Required: Yes  
Public Hearing - Formal  
Category: Operating Permit - General

OP170PM Nationally Required: No  
Public Meeting  
Category: Operating Permit - General

OP180DL Nationally Required: No  
Received Withdrawal Request - Delisted Waste  
Category: Operating Permit - Waivers/Withdrawals

OP180FC Nationally Required: No  
Received Withdrawal Request - Intends/Closed All Waste Handling Facility  
Category: Operating Permit - Waivers/Withdrawals

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

OP180FE	Nationally Required: No Received Withdrawal Request - Applicant was a Protective Filer Category: Operating Permit - Waivers/Withdrawals
OP180LN	Nationally Required: No Received Withdrawal Request - Applicant has/will go to Less Than 90 Days Storage Category: Operating Permit - Waivers/Withdrawals
OP180NW	Nationally Required: No Received Withdrawal Request - Applicant has/will Handle Only Non-regulated Waste Category: Operating Permit - Waivers/Withdrawals
OP180OT	Nationally Required: No Received Withdrawal Request - Other Reason for Withdrawal Category: Operating Permit - Waivers/Withdrawals
OP180SQ	Nationally Required: No Received Withdrawal Request - Applicant has/will SQG with Onsite Storage Category: Operating Permit - Waivers/Withdrawals
OP190AR	Nationally Required: No Withdrawal Request Determination - Approved Request Category: Operating Permit - Waivers/Withdrawals
OP190DR	Nationally Required: No Withdrawal Request Determination - Denied Request Category: Operating Permit - Waivers/Withdrawals
OP200CA	Nationally Required: No Final Determination - HSWA/Corrective Action-only Permit A final determination, made by the EPA or State, to issue a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.  Category: Operating Permit - General
OP200PD	Nationally Required: Yes Final Determination - Permit Denied A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

A status code of PD should be entered to indicate permit denied.

Category: Operating Permit - General

Nationally Required: Yes

OP200PG Final Determination - RCRA Permit Issued with HSWA, No Corrective Action  
A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PG should be entered to indicate RCRA permit issued with HSWA, no corrective action.

Category: Operating Permit - General

Nationally Required: Yes

OP200PI Final Determination - RCRA Permit Issued, HSWA Not Applicable  
A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PI should be entered to indicate RCRA permit issued, HSWA not applicable.

Category: Operating Permit - General

Nationally Required: Yes

OP200PJ Final Determination - RCRA Permit Issued with HSWA Corrective Action Scheduled  
A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PJ should be entered to indicate RCRA permit issued with HSWA corrective action scheduled.

Category: Operating Permit - General

Nationally Required: Yes

OP200PP Final Determination - RCRA Permit Issued, No HSWA Permit Yet  
A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

A status code of PP should be entered to indicate RCRA permit issued, no HSWA permit yet.

Category: Operating Permit - General

OP200SP      Nationally Required: Yes  
 Final Determination - Standardized Permit  
 A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of SP should be entered to indicate standardized permit.

Category: Operating Permit - General

OP205      Nationally Required: Yes  
 Final Permit Effective  
 The date upon which the permittee must be able to demonstrate compliance with the conditions of the final permit. The specific date will vary depending on the issuing authority. EPA-issued permits shall become effective 30 days after the service of notice of the decision (as indicated by OP200) unless: (1) a later effective date is specified in the decision; or (2) review is requested on the permit under 40 CFR 124.19 or (3) no comments requested a change in the draft permit, in which case the permit shall become effective immediately upon issuance.

Category: Operating Permit - General

Nationally Required: Yes

OP210      Determination Appealed  
 Category: Operating Permit - General

OP220DI      Nationally Required: No  
 Appeal Settled - Decision issued with No Remand  
 Category: Operating Permit - General

OP220RC      Nationally Required: No  
 Appeal Settled - Remand Proceedings Completed  
 Category: Operating Permit - General

OP225      Nationally Required: No  
 Permit Modification Call-In  
 Category: Operating Permit - General

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

OP230AC	Nationally Required: No Modification Requested - Additional Capacity Category: Operating Permit - Modifications
OP230AP	Nationally Required: No Modification Requested - Additional Process Category: Operating Permit - Modifications
OP230AU	Nationally Required: No Modification Requested - Additional Unit Category: Operating Permit - Modifications
OP230BF	Nationally Required: No Modification Requested - Boiler and/or Industrial Furnace Category: Operating Permit - Modifications
OP230CA	Nationally Required: No Modification Requested - Corrective Action Modification Category: Operating Permit - Modifications
OP230CB	Nationally Required: No Modification Requested - Combustion Category: Operating Permit - Modifications
OP230GW	Nationally Required: No Modification Requested - Groundwater Monitoring Modification Category: Operating Permit - Modifications
OP230MA	Nationally Required: No Modification Requested - MACT Compliance Category: Operating Permit - Modifications
OP230OH	Nationally Required: No Modification Requested - Other Modification Category: Operating Permit - Modifications
OP23110	Nationally Required: No Class Determination - Class 1 Modification - No Priority Category: Operating Permit - Modifications
	Nationally Required: No

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

OP23111	Class Determination - Class 1 Modification, Prior Approval Required
OP23120	Class Determination - Class 2 Modification Category: Operating Permit - Modifications
OP23130	Nationally Required: No Class Determination - Class 3 Modification Category: Operating Permit - Modifications
OP231AI	Nationally Required: No Class Determination - Agency Initiated Modification Category: Operating Permit - Modifications
OP231MJ	Nationally Required: No Class Determination - Major For use by States not authorized for less stringent 40 CFR 270.42.  Category: Operating Permit - Modifications
OP231MN	Nationally Required: No Class Determination - Minor For use by States not authorized for less stringent 40 CFR 270.42.  Category: Operating Permit - Modifications
OP232	Nationally Required: No Modification Notice of Deficiency Category: Operating Permit - Modifications
OP233	Nationally Required: No Revised Permit Modification Received Category: Operating Permit - Modifications
OP235	Nationally Required: No Permit Modification Determined Complete and Technically Adequate Category: Operating Permit - Modifications
OP236AP	Nationally Required: No Permit Modification Public Notice - Intent to Approve Category: Operating Permit - Modifications
	Nationally Required: No

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

OP236ID	Permit Modification Public Notice - Intent to Deny Category: Operating Permit - Modifications
	Nationally Required: No
OP237PH	Permit Modification Public Hearing Category: Operating Permit - Modifications
	Nationally Required: No
OP237PM	Permit Modification Public Meeting Category: Operating Permit - Modifications
	Nationally Required: No
OP240AC	Modification Approved - Additional Capacity Category: Operating Permit - Modifications
	Nationally Required: No
OP240AP	Modification Approved - Additional Process Category: Operating Permit - Modifications
	Nationally Required: No
OP240AU	Modification Approved - Additional Unit Category: Operating Permit - Modifications
	Nationally Required: No
OP240CA	Modification Approved - Corrective Action Category: Operating Permit - Modifications
	Nationally Required: No
OP240CB	Modification Approved - Combustion Category: Operating Permit - Modifications
	Nationally Required: No
OP240GW	Modification Approved - Groundwater Monitoring Category: Operating Permit - Modifications
	Nationally Required: No
OP240MA	Modification Approved - MACT Compliance Category: Operating Permit - Modifications
	Nationally Required: No
OP240OH	Modification Approved - Other Modification

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

	Category: Operating Permit - Modifications
OP240RW	Nationally Required: No Modification - Request Withdrawn Category: Operating Permit - Modifications
OP241	Nationally Required: No Final Modification Effective Date Category: Operating Permit - Modifications
OP242NS	Nationally Required: No Significance Determination - Not Significant Category: Operating Permit - Modifications
OP242SI	Nationally Required: No Significance Determination - Significant Category: Operating Permit - Modifications
OP245	Nationally Required: No Modification Denied Category: Operating Permit - Modifications
OP250	Nationally Required: No Permit Reviewed Category: Operating Permit - General
OP260	Nationally Required: No Permit Termination The date that EPA or State terminates the Operating permit under 40 CFR 270.43 or equivalent State authority.  Category: Operating Permit - General
OP270	Nationally Required: Yes Permit Expiration Date This event refers to the last day upon which the conditions and authorizations of the RCRA Operating permit are effective.  This event should be entered as a scheduled date for all issued permits that are current (i.e. have not expired). An actual date should be entered once the expiration date has passed.  Category: Operating Permit - General

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

OP315	Nationally Required: Yes Intends to Close Permitted Units Category: Operating Permit - General
OP403MO	Nationally Required: No Application Reviewed for Completeness - Unknown Category: Operating Permit - General
OP421	Nationally Required: No Permit Revoked and Reissued Category: Operating Permit - General
OP423	Nationally Required: No Permit Transferred Category: Operating Permit - General
OP500	Nationally Required: No Combustion Risk Assessment Required Category: Operating Permit - Combustion
OP501FR	Nationally Required: No Combustion Risk Assessment Plan Submitted - Full Risk Assessment Category: Operating Permit - Combustion
OP501SC	Nationally Required: No Combustion Risk Assessment Plan Submitted - Screening Risk Assessment Category: Operating Permit - Combustion
OP502	Nationally Required: No Combustion Risk Assessment Plan NOD Category: Operating Permit - Combustion
OP505	Nationally Required: No Combustion Risk Assessment Plan Approved Category: Operating Permit - Combustion
OP507FR	Nationally Required: No Combustion Risk Assessment Report Submitted - Full Risk Assessment Category: Operating Permit - Combustion
	Nationally Required: No

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

OP507SC	Combustion Risk Assessment Report Submitted - Screening Risk Assessment Category: Operating Permit - Combustion
OP508	Nationally Required: No Combustion Risk Assessment Report NOD Category: Operating Permit - Combustion
OP510	Nationally Required: No Combustion Risk Assessment Report Approved Category: Operating Permit - Combustion
OP515NO	Nationally Required: No Combustion Risk-based Permit Conditions - Conditions Not Needed Category: Operating Permit - Combustion
OP515YE	Nationally Required: No Combustion Risk-based Permit Conditions - Conditions Needed Category: Operating Permit - Combustion
PC001IS	Nationally Required: No Part A Received - Initial Submittal Category: Post-Closure - General
PC001PB	Nationally Required: No Part A Received - Submitted with a Part B or Modification Request Category: Post-Closure - General
PC002AK	Nationally Required: No Part A Determination - Acknowledgement of Part A Receipt Category: Post-Closure - General
PC002AP	Nationally Required: No Part A Determination - Approval of Interim Status Change Category: Post-Closure - General
PC002DR	Nationally Required: No Part A Determination - Denied Request Category: Post-Closure - General
PC005NE	Nationally Required: No Transfer of Ownership - Newly Transferred to this Site

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

Category: Post-Closure - General

PC005NO Nationally Required: No  
Transfer of Ownership - No Longer Regulated at this Site  
Category: Post-Closure - General

PC010 Nationally Required: No  
Post-Closure/HSWA Part B Call-In  
Written notification to the regulated facility by the EPA or State indicating that a Post-Closure/HSWA Part B Permit Application is required and establishing a schedule for submittal.

Category: Post-Closure - General

PC020OR Nationally Required: Yes  
Post-Closure Part B Received - Original Permit  
The receipt of Part B of the RCRA Post-Closure/HSWA Permit Application.  
  
A status code of OR should be entered to indicate original permit.

Category: Post-closure - General

PC020RN Nationally Required: Yes  
Post-Closure Renewal Application Received  
The receipt of Part B of the RCRA Post-Closure/HSWA Permit Application.  
  
A status code of RN should be entered to indicate renewal.

Category: Post-Closure - General

PC025CR Nationally Required: Yes  
Confidentiality Requested  
Category: Post-Closure - General

PC025CS Nationally Required: No  
Confidentiality Substantiated  
Category: Post-Closure - General

PC025CU Nationally Required: No  
Confidentiality Unsubstantiated  
Category: Post-Closure - General

---

**PLN\_EVENT\_UNIT\_DETAIL4**

---

PC100	Nationally Required: No Notice of Deficiency Category: Post-Closure - General
PC110	Nationally Required: No Revisions Received Category: Post-Closure - General
PC12004	Nationally Required: No Waiver Requested - ACL Standards Waivers Category: Post-Closure - Waivers/Withdrawals
PC12006	Nationally Required: No Waiver Requested - Groundwater Monitoring Waiver Category: Post-Closure - Waivers/Withdrawals
PC14004	Nationally Required: No Waiver Request Approved - ACL Standards Waivers Category: Post-Closure - Waivers/Withdrawals
PC14006	Nationally Required: No Waiver Request Approved - Groundwater Monitoring Waiver Category: Post-Closure - Waivers/Withdrawals
PC14104	Nationally Required: No Waiver Request Denied - ACL Standards Waivers Category: Post-Closure - Waivers/Withdrawals
PC14106	Nationally Required: No Waiver Request Denied - Groundwater Monitoring Waiver Category: Post-Closure - Waivers/Withdrawals
PC14204	Nationally Required: No Waiver Request Withdrawn - ACL Standards Waivers Category: Post-Closure - Waivers/Withdrawals
PC14206	Nationally Required: No Waiver Request Withdrawn - Groundwater Monitoring Waiver Category: Post-Closure - Waivers/Withdrawals
	Nationally Required: No

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

PC150	<p>Determined to be Complete and Technically Adequate          Category: Post-Closure - General</p>
PC160DP	<p>Nationally Required: No          Public Notice - Draft Permit          The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State.</p> <p>A status code of DP should be entered to indicate draft permit.</p> <p>Category: Post-Closure - General</p>
PC160ID	<p>Nationally Required: Yes          Public Notice - Intent to Deny          The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State.</p> <p>A status code of ID should be entered to indicate intent to deny.</p> <p>Category: Post-Closure - General</p>
PC160OH	<p>Nationally Required: Yes          Permit Public Notice - Other          The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State.</p> <p>A status code of OH should be entered to indicate other.</p> <p>Category: Post-Closure - General</p>
PC170PH	<p>Nationally Required: Yes          Permit Public Hearing - Formal          Category: Post-Closure - General</p>
PC170PM	<p>Nationally Required: No          Permit Public Meeting          Category: Post-Closure - General</p>
PC180	<p>Nationally Required: No          Received Withdrawal Request          Category: Post-Closure - General</p>

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

PC190AR Nationally Required: No  
Withdrawal Request - Approved  
Category: Post-Closure - General

PC190DR Nationally Required: No  
Withdrawal Request - Denied  
Category: Post-Closure - General

PC200PD Nationally Required: No  
Final Determination - Permit Denied  
Category: Post-Closure - General

PC200PG Nationally Required: No  
Final Determination - RCRA Permit Issued, No HSWA Corrective Action Scheduled  
A final determination, made by the EPA or State, to issue or deny a RCRA Post-Closure/HSWA permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PG should be entered to indicate RCRA permit issued, no HSWA corrective action scheduled.

Category: Post-Closure - General

PC200PI Nationally Required: Yes  
Final Determination - RCRA Permit Issued, HSWA Not Applicable  
A final determination, made by the EPA or State, to issue or deny a RCRA Post-Closure/HSWA permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PI should be entered to indicate RCRA permit issued, HSWA not applicable.

Category: Post-Closure - General

PC200PJ Nationally Required: Yes  
Final Determination - RCRA Permit Issued with HSWA Corrective Action Scheduled  
A final determination, made by the EPA or State, to issue or deny a RCRA Post-Closure/HSWA permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PJ should be entered to indicate RCRA permit issued with HSWA corrective action scheduled.

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

Category: Post-Closure - General

Nationally Required: Yes  
 PC200PP Final Determination - RCRA Permit Issued, No HSWA Permit Yet  
 A final determination, made by the EPA or State, to issue or deny a RCRA Post-Closure/HSWA permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PP should be entered to indicate RCRA permit issued, no HSWA permit yet.

Category: Post-Closure - General

Nationally Required: Yes  
 PC205 Final Permit Effective  
 The date upon which the permittee must be able to demonstrate compliance with the conditions of the final permit. The specific date will vary depending on the issuing authority. EPA-issued permits shall become effective 30 days after the service of notice of the decision (as indicated by OP200) unless: (1) a later effective date is specified in the decision; or (2) review is requested on the permit under 40 CFR 124.19 or (3) no comments requested a change in the draft permit, in which case the permit shall become effective immediately upon issuance.

Category: Post-Closure - General

Nationally Required: Yes  
 PC210 Determination Appealed  
 Category: Post-Closure - General

Nationally Required: No

PC220DI Appeal Settled - Decision Issued with No Remand  
 Category: Post-Closure - General

Nationally Required: No

PC220RC Appeal Settled - Remand Proceedings Completed  
 Category: Post-Closure - General

Nationally Required: No

PC225 Post-Closure Permit Modification Call-In  
 Category: Post-Closure - Modifications

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

Nationally Required: No

PC230AU Modification Request Received - Additional Unit  
Category: Post-Closure - Modifications

Nationally Required: No

PC230CA Modification Request Received - Corrective Action  
Category: Post-Closure - Modifications

Nationally Required: No

PC230GW Modification Request Received - Groundwater Monitoring Modification  
Category: Post-Closure - Modifications

Nationally Required: No

PC230OH Modification Request Received - Modification Other Than Additional Capacity, Corrective Action, or Groundwater Monitoring  
Category: Post-Closure - Modifications

Nationally Required: No

PC23110 Class Determination - Class 1 Modification, No Prior Approval Required  
Category: Post-Closure - Modifications

Nationally Required: No

PC23111 Class Determination - Class 1 Modification, Prior Approval Required  
Category: Post-Closure - Modifications

Nationally Required: No

PC23120 Class Determination - Class 2 Modification  
Category: Post-Closure - Modifications

Nationally Required: No

PC23130 Class Determination - Class 3 Modification  
Category: Post-Closure - Modifications

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

Nationally Required: No

PC231AI Class Determination - Agency Initiated Modification  
Category: Post-Closure - Modifications

Nationally Required: No

PC231MJ Class Determination - Major  
For use by States not authorized for less stringent 40 CFR 270.42.

Category: Post-Closure - Modifications

PC231MN Class Determination - Minor  
For use by States not authorized for less stringent 40 CFR 270.42.

Category: Post-Closure - Modifications

PC232 Modification Notice of Deficiency  
Category: Post-Closure - Modifications

Nationally Required: No

PC233 Revised Permit Modification Received  
Category: Post-Closure - Modifications

Nationally Required: No

PC235 Permit Modification Determined Complete and Technically Adequate  
Category: Post-Closure - Modifications

Nationally Required: No

PC236AP Permit Modification Public Notice - Intent to Approve  
Category: Post-Closure - Modifications

Nationally Required: No

PC236ID Permit Modification Public Notice - Intent to Deny  
Category: Post-Closure - Modifications

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

Nationally Required: No

PC237PH Permit Modification Public Hearing - Formal  
Category: Post-Closure - Modifications

Nationally Required: No

PC237PM Permit Modification Public Meeting  
Category: Post-Closure - Modifications

Nationally Required: No

PC240AU Modification Approved - Additional Unit  
Category: Post-Closure - Modifications

Nationally Required: No

PC240CA Modification Approved - Corrective Action  
Category: Post-Closure - Modifications

Nationally Required: No

PC240GW Modification Approved - Groundwater Monitoring Modification  
Category: Post-Closure - Modifications

Nationally Required: No

PC240OH Modification Approved - Modification Other Than Additional Capacity, Corrective Action, or Groundwater Monitoring  
Category: Post-Closure - Modifications

Nationally Required: No

PC240RW Modification Approved - Request Withdrawn  
Category: Post-Closure - Modifications

Nationally Required: No

PC245 Modification Denied  
Category: Post-Closure - Modifications

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

PC250	<p>Nationally Required: No          Permit Reviewed          Category: Post-Closure - General</p> <p>Nationally Required: No</p>
PC260	<p>Permit Termination          The date that EPA or State terminates the Post-Closure/HSWA permit under 40 CFR 270.43 or equivalent State authority.</p> <p>Category: Post-Closure - General</p>
PC270	<p>Nationally Required: Yes          Permit Expiration Date          This event refers to the last day upon which the conditions and authorizations of the RCRA Post-Closure/HSWA permit are effective.</p> <p>This event should be entered as a scheduled date for all issued permits that are current (i.e. have not expired). An actual date should be entered once the expiration date has passed.</p> <p>Category: Post-Closure - General</p>
PC300	<p>Nationally Required: Yes          Post-Closure Enforceable Document Effective          The date that an enforceable post-closure document (e.g. an order) has been established in lieu of a post-closure permit in accordance with 40 CFR 270.1(c)(7).</p> <p>Category: Post-Closure - Alternative Authority</p>
PC310	<p>Nationally Required: Yes          Post-Closure Plan Received          The receipt by the EPA or State of a post-closure plan provided by the regulated facility.</p> <p>Category: Post-Closure - Alternative Authority</p>
PC320	<p>Nationally Required: Yes          NOD - Post-Closure Plan          Category: Post-Closure - Alternative Authority</p>
PC330	<p>Nationally Required: No          Revisions Received - Post-Closure          Category: Post-Closure - Alternative Authority</p>

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

PC340	Nationally Required: No Public Notice - Post-Closure Plan Category: Post-Closure - Alternative Authority
PC350	Nationally Required: No Public Hearing - Post-Closure Plan Category: Post-Closure - Alternative Authority
PC350PH	Nationally Required: No Public Hearing - Formal - Post-Closure Plan Category: Post-Closure - Alternative Authority
PC350PM	Nationally Required: No Public Meeting - Post-Closure Plan Category: Post-Closure - Alternative Authority
PC360ME	Nationally Required: No Post-Closure Plan Approved - Final Post-Closure The issuance of written correspondence to the regulated facility indicating that the post-closure plan has been approved by the EPA or State for implementation.  A status code of ME should be entered to indicate final post-closure.  Category: Post-Closure - Alternative Authority
PC360MO	Nationally Required: Yes Post-Closure Plan Approved - Partial Post-Closure The issuance of written correspondence to the regulated facility indicating that the post-closure plan has been approved by the EPA or State for implementation.  A status code of MO should be entered to indicate partial post-closure.  Category: Post-Closure - Alternative Authority
PC362	Nationally Required: Yes Post-Closure Plan Modification Request Received Category: Post-Closure - Modifications
PC364	Nationally Required: No Post-Closure Plan Modification Determination - Approved

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

	Category: Post-Closure - Modifications
PC366	Nationally Required: No Post-Closure Plan Modification Determination - Denied Category: Post-Closure - Modifications
PC370	Nationally Required: No Post-Closure Certification Received The receipt of a certification by the owner or operator that the post-closure care period for one or more hazardous waste disposal units was performed in accordance with the specifications in the approved post-closure plan. The certification must be signed by the owner or operator and an independent registered professional engineer (40 CFR 264/265.120).
	Category: Post-Closure - Alternative Authority
PC380DA	Nationally Required: Yes Post-Closure Verification - Acceptable Verification by the EPA or State, through the review of data, site records, certifications, and/or visual inspection, of whether the post-closure care period has been completed satisfactorily.  A status code of DA should be entered to indicate acceptable.
	Category: Post-Closure - Alternative Authority
PC380DU	Nationally Required: Yes Post-Closure Verification - Unacceptable Verification by the EPA or State, through the review of data, site records, certifications, and/or visual inspection, of whether the post-closure care period has been completed satisfactorily.  A status code of DU should be entered to indicate unacceptable.
	Category: Post-Closure - Alternative Authority
PC403CO	Nationally Required: Yes Application Reviewed for Completeness - Complete Category: Post-Closure - Alternative Authority
PC403IN	Nationally Required: No Application Reviewed for Completeness - Incomplete Category: Post-Closure - Alternative Authority
	Nationally Required: No

---

**PLN\_EVENT\_UNIT\_DETAIL4**

---

PC414	Facility Released from Post-Closure Financial Assurance Requirement Category: Post-Closure - Alternative Authority
RD010	Nationally Required: No Part B Call-In Category: RD&D Permits - General
RD020	Nationally Required: No Part B Received Category: RD&D Permits - General
RD020RC	Nationally Required: No Part B Received - Renewal Referencing Original Part B with Updates Category: RD&D Permits - General
RD020RN	Nationally Required: No Part B Received - Renewal Category: RD&D Permits - General
RD025CR	Nationally Required: No Confidentiality Requested Category: RD&D Permits - General
RD025CS	Nationally Required: No Confidentiality Substantiated Category: RD&D Permits - General
RD025CU	Nationally Required: No Confidentiality Unsubstantiated Category: RD&D Permits - General
RD066	Nationally Required: No Trial Burn Plan Submitted Category: RD&D Permits - General
RD068	Nationally Required: No Trial Burn Plan Reviewed Category: RD&D Permits - General
RD070	Nationally Required: No Trial Burn Plan Approved

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

	Category: RD&D Permits - General
RD080	Nationally Required: No Trial Burn Conducted Category: RD&D Permits - General
RD090	Nationally Required: No Trial Burn Results Received Category: RD&D Permits - General
RD092	Nationally Required: No Trial Burn Results Review Completed Category: RD&D Permits - General
RD100	Nationally Required: No Notice of Deficiency Category: RD&D Permits - General
RD110	Nationally Required: No Revisions Received Category: RD&D Permits - General
RD150	Nationally Required: No Determined to be Complete and Technically Adequate Category: RD&D Permits - General
RD160DP	Nationally Required: No Public Notice - Draft Permit Issued Category: RD&D Permits - General
RD160ID	Nationally Required: No Public Notice - Intent to Deny Category: RD&D Permits - General
RD170PH	Nationally Required: No Public Hearing - Formal Category: RD&D Permits - General
RD170PM	Nationally Required: No Public Meeting Category: RD&D Permits - General

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

RD180	Nationally Required: No Received Withdrawal Request Category: RD&D Permits - General
RD190AR	Nationally Required: No Withdrawal Request Determination - Approved Request Category: RD&D Permits - General
RD190DR	Nationally Required: No Withdrawal Request Determination - Denied Request Category: RD&D Permits - Withdrawals
RD200PD	Nationally Required: No Final Determination - Permit Denied Category: RD&D Permits - Withdrawals
RD200PI	Nationally Required: No Final Determination - RCRA Permit Issued Category: RD&D Permits - Withdrawals
RD205	Nationally Required: No Final Permit Effective Category: RD&D Permits - Withdrawals
RD210	Nationally Required: No Determination Appealed Category: RD&D Permits - General
RD220	Nationally Required: No Appeal Settled Category: RD&D Permits - General
RD230AC	Nationally Required: No Modification Requested - Additional Capacity Category: RD&D Permits - Modifications
RD230AP	Nationally Required: No Modification Requested - Additional Process Category: RD&D Permits - Modifications

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

RD230GW	Nationally Required: No Modification Request - Groundwater Monitoring Modification Category: RD&D Permits - Modifications
RD230OH	Nationally Required: No Modification Requested - Modification Other Than Additional Capacity, Corrective Action, or Groundwater Monitoring Category: RD&D Permits - Modifications
RD232	Nationally Required: No Modification Notice of Deficiency Category: RD&D Permits - Modifications
RD233	Nationally Required: No Revised Permit Modification Received Category: RD&D Permits - Modifications
RD235	Nationally Required: No Permit Modification Determined Complete and Technically Adequate Category: RD&D Permits - Modifications
RD236	Nationally Required: No Permit Modification Public Notice Category: RD&D Permits - Modifications
RD237	Nationally Required: No Permit Modification Public Hearing Category: RD&D Permits - Modifications
RD240GW	Nationally Required: No Modification Approved - Groundwater Monitoring Modification Category: RD&D Permits - Modifications
RD240OH	Nationally Required: No Modification Determination - Modification Other Than Additional Capacity, Corrective Action, or Groundwater Monitoring Category: RD&D Permits - Modifications
RD240RW	Nationally Required: No Modification Determination - Request Withdrawn Category: RD&D Permits - Modifications
	Nationally Required: No

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

RD245	Modification Denied Category: RD&D Permits - Modifications
RD260	Nationally Required: No Permit Termination Category: RD&D Permits - General
RD270	Nationally Required: No Permit Expires Category: RD&D Permits - General
RD385	Nationally Required: No Facility Release from Financial Assurance Requirements Category: RD&D Permits - General
	Nationally Required: No

---

### Default Value

<b>English Name</b>	Permit Unit Handler ID <b>(Primary Key)</b>
<b>Oracle Name</b>	UNIT_DETAIL_HANDLER_ID
<b>Description</b>	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
<b>Data Type and Length</b>	VARCHAR2 (12)
<b>Allowed Values</b>	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
<b>Default Value</b>	
<b>Notes</b>	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.

---

<b>English Name</b>	Process Unit Sequence Number <b>(Primary Key)</b>
<b>Oracle Name</b>	UNIT_SEQ
<b>Description</b>	System-generated value used to uniquely identify a process unit.
<b>Data Type and Length</b>	NUMBER (4.0)
<b>Allowed Values</b>	1 - 9,999
<b>Default Value</b>	Next sequential number

---

## PLN\_EVENT\_UNIT\_DETAIL4

---

<b>English Name</b>	Process Unit Detail Sequence Number <b>(Primary Key)</b>
<b>Oracle Name</b>	UNIT_DETAIL_SEQ
<b>Description</b>	System-generated value used to uniquely identify a process unit detail.
<b>Data Type and Length</b>	NUMBER (3,0)
<b>Allowed Values</b>	1 - 999
<b>Default Value</b>	Next sequential number

---

<b>English Name</b>	User ID of Last Change
<b>Oracle Name</b>	USERID
<b>Description</b>	Records the user ID of the last person to change the data.
<b>Data Type and Length</b>	VARCHAR2 (6)
<b>Allowed Values</b>	Valid user ID
<b>Default Value</b>	Current user ID

---

<b>English Name</b>	Date of Last Change
<b>Oracle Name</b>	LAST_CHANGE
<b>Description</b>	Records the date that the data was last changed.
<b>Data Type and Length</b>	DATE
<b>Allowed Values</b>	Valid date/time stamp
<b>Default Value</b>	Current date and time

**\* End of Report \***