
PUNIT4

English Name	EPA Handler ID (Primary Key)
Oracle Name	HANDLER_ID
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
Data Type and Length	VARCHAR2 (12)
Allowed Values	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
Default Value	
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.

English Name	Process Unit Sequence Number (Primary Key)
Oracle Name	UNIT_SEQ
Description	System-generated value used to uniquely identify a process unit.
Data Type and Length	NUMBER (4,0)
Allowed Values	1 - 9,999
Default Value	Next sequential number

English Name	Process Unit Name
Oracle Name	UNIT_NAME
Description	Name or number assigned by the implementing agency to identify a process unit group.
Data Type and Length	VARCHAR2 (40)
Allowed Values	Any non-blank value
Default Value	
Notes	To easily recognize a process unit group, it is recommended that the process unit name be unique.

English Name	User ID of Last Change
Oracle Name	USERID
Description	Records the user ID of the last person to change the data.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Valid user ID
Default Value	Current user ID

PUNIT4

English Name	Date of Last Change
Oracle Name	LAST_CHANGE
Description	Records the date that the data was last changed.
Data Type and Length	DATE
Allowed Values	Valid date/time stamp
Default Value	Current date and time

English Name	Notes
Oracle Name	NOTES
Description	Additional description of the process unit group.
Data Type and Length	VARCHAR2 (2000)
Allowed Values	Any value blank Not provided
Default Value	blank

*** End of Report ***